

COVID-19 Epidemic Analysis using Deep Learning

Swapnil Mishra, Sartaj Mulani

Department of Computer Engineering, Dr. D. Y. Patil School of Engineering Academy, Pune

Email: swapnil1697@live.com

Department of Computer Engineering, Dr. D. Y. Patil School of Engineering Academy, Pune

Email:sartajmulani@gmail.com

Abstract:

Coronavirus (COVID-19) is an irritation infection from another infection. The infection causes respiratory disease (like flu) with indications, for instance, cool, hack and fever, and in logically genuine cases, the issue in relaxing. COVID-2019 has been seen as an overall pandemic and a couple of assessments are being driven using distinctive numerical models to foresee the presumable headway of this epidemic. These numerical models subject to various components and examinations are needy upon likely tendency. Here, we introduced a model that could be helpful to foresee the spread of COVID-2019. We have performed direct relapse, Multilayer perceptron and Vector auto regression strategy for want on the COVID-19 Kaggle information to envision the epidemiological case of the infirmity and pace of COVID-2019 cases in India. Foreseen the expected examples of COVID-19 impacts in India reliant on information accumulated from Kaggle. With the regular information about affirmed, demise and recuperated cases across India for over the time length helps in foreseeing and assessing the not all that removed future. For additional evaluation or future point of view, case definition and information mix must be kept up determinedly. Since the COVID-19 epidemic has spread worldwide, real-time analysis of epidemiological data are needed to help equip society with disease-fighting strategies.

Keywords —covid-19, pre-processing, classifier algorithm, feature extraction Convolutional neural network(CNN)etc

I. INTRODUCTION

In India, the episode of coronavirus as upset the working of life in general. all were pushed to remain back to shield from the terrifying transmission. In the underlying stages, the affirmed cases are those come back from administers followed by transmission by means of nearby transmission. More alert is given to the older and invulnerability less individuals. The segment of the tainted individuals in India demonstrates that 39 years is the middle. Relatively, individuals somewhere in the range of 21 and 40 years are being influenced more.

The ordinary prevalence data of COVID-2019 from January 22, 2020, to April 10, 2020, was accumulated from the site of Kaggle. Footnote2 Weka 3.8.4Footnote3 and OrangeFootnote4 is used to unravel the data. Since the COVID-19 epidemic has spread worldwide, real-time analysis of epidemiological data are needed to help equip society with disease-fighting strategies. Since the publication of the novel COVID-, the world has been frantically fighting for its cause. According to the Johns Hopkins dashboards globally circulated live data as of April 1, 2020, there are 932,605 confirmed cases worldwide, of which 193,177 are recovered and

46,809 have died. COVID-19 is a member of the SARS-CoV and MERS-CoV families, with symptoms ranging from a common cold to extreme respiratory disorders characterised by difficulty breathing, fatigue, fever, and a dry cough. It was discovered that imaging with immunoelectron microscopy techniques would enhance virus identification.

II. OBJECTIVE:

The properties of orthogonal moment features and feature selection techniques are used to propose a COVID-19 classification method. The project's goal is to strengthen India's national health systems for preparedness by preventing, detecting, and responding to the COVID-19 threat.

III. RELATED WORK OR LITERATURE SURVEY

1. "Prediction of COVID-19 Outbreak in India adopting Bhilwara Model of Containment"

Author: Amit Bhati, Anurag Jagetiya

The epidemic of coronavirus disease-2019 (COVID19) establishes a medical emergency of worldwide concern with an exceptionally high danger of spread and affect the entire worldwide. In India, there has been a steady ascent in the infection with 20,080 cases on April 21 even after a countrywide lockdown Bhilwara lockdown & containment model flattens the infection curve of COVID-19 cases just within 10 days of initial spread.

2. Can the COVID-19 Epidemic Be Controlled on the Basis of Daily Test Reports

Author: Francesco Casella

This letter studies if and to which extent COVID-19 epidemics can be controlled by authorities taking


decisions on public health measures on the basis of daily reports of swab test results, active cases and total cases. To support the controllability analysis, a suitably simplified process model is developed, highlighting the presence of a significant time delay; the model is validated using data from several outbreaks.

3. Accurate Screening of COVID-19 using Attention Based Deep 3D Multiple Instance Learning

Author: Zhongyi Han, Benzheng Wei, Yanfei Hong, Tianyang Li, Jinyu Cong, Xue Zhu, Haifeng Wei, Wei Zhang

Automated Screening of COVID-19 from chest CT is of emergency and importance during the outbreak of SARS-CoV-2 worldwide in 2020. However, due to the spatial complexity of 3D volumes, the difficulty of labelling infection areas, and the slight discrepancy between COVID-19 and other viral pneumonia in chest CT, accurate COVID-19 screening remains a major challenge.

IV. MATHEMATICAL MODELING



Where,

Q = User entered input

CB = preprocess

C = feature selection

PR = preprocess request evaluation

UB = predict outcome

Above mathematical model is NP-Complete.

Set Theory

- 1) Let S be as system which input image
 $S = \{In, P, Op, \Phi\}$
- 2) Identify Input In as

$In = \{Q\}$

Where,

Q = User entered input image(dataset)

- 3) Identify Process P as

$P = \{CB, C, PR\}$

Where,

- CB = Pre-process
- C = feature selection
- PR = Pre-process request evaluation

- 4) Identify Output Op as

$Op = \{UB\}$

Where,

- UB = Predict outcome
- Φ =Failures and Success conditions.

Failures:

1. Huge database can lead to more time consumption to get the information.
2. Hardware failure.
3. Software failure.

Success:

1. Search the required information from available in Datasets.
2. User gets result very fast according to their needs.

Space Complexity:

The space complexity depends on Presentation and visualization of discovered patterns. More the storage of data more is the space complexity.

Time Complexity:

Check No. of patterns available in the datasets= n
 If (n>1) then retrieving of information can be time consuming. So, the time complexity of this algorithm is $O(n^n)$.

V. EXISTING SYSTEM AND DISADVANTAGES

In existing system there is no computerized system to identified the covid-19 disease. The max operator has at least two disadvantages. Firstly, it is only suitable for the instance-level approaches that require an instance classifier, as we mentioned before, existing popular approaches of MIL with neural networks are treat separated instances as inputs, then use a deep neural network to transform them into embedding space.

Disadvantages:

The max operator has at least two disadvantages. Firstly, it is only suitable for the instance-level approaches that require an instance classifier

VI. ADVANCED SYSTEM AND ADVANTAGES





FIGURE: ADVANCE SYSTEM ARCHITECTURE

Advantages:

It's critical to confirm who's infected in order to effectively manage and contain the virus. It would be difficult to determine the actual rates of cases without reliable testing. As a result, it's critical to understand what these tests can and can't do in order to use them effectively. System that is both secure and efficient.

Algorithm:

A Convolutional Neural Network (ConvNet/CNN) is a Deep Learning algorithm that can take an input image, assign importance (learnable weights and biases) to various aspects/objects in the image, and distinguish between them. When compared to other classification algorithms, the amount of pre-processing required by a ConvNet is significantly less. While filters are hand-engineered in primitive methods, ConvNets learn these filters/characteristics with enough training.



VII. CONCLUSION AND FUTURE WORK

The coronavirus disease continues to spread around the world on an unpredictable path. The speed and strength of recovery will be determined by countries' health, humanitarian, and socioeconomic policies. The coronavirus disease continues to spread around the world on an unpredictable path. The speed and strength of recovery will be determined by countries' health, humanitarian, and socioeconomic policies. The four-pillar policy framework presented in this brief by the International Labour Organization (ILO) provides

guidance not only for countries as they progress through the various stages of the crisis, but also for the international community at large.

VIII. REFERENCES

1. STOECKLIN, SIBYLLE BERNARD, PATRICK ROLLAND, YASSOUNGO SILUE, ALEXANDRA MAILLES, CHRISTINE CAMPESE, ANNE SIMONDON, MATTHIEU MECHAINET AL. "FIRST CASES OF CORONAVIRUS DISEASE 2019 (COVID-19) IN FRANCE: SURVEILLANCE, INVESTIGATIONS AND CONTROL MEASURES, JANUARY 2020." EURO SURVEILLANCE 25, NO. 6 (2020)
2. WHO CORONAVIRUSES (COVID-19). RETRIEVED MARCH 30, 2020 FROM [HTTPS://WWW.WHO.INT/EMERGENCIES/DISEASES/NOVEL-CORONAVIRUS-2019](https://www.who.int/emergencies/diseases/novel-coronavirus-2019).
3. PRASAD, SHARDA, VARSHA POTDAR, SARAH CHERIAN, PRIYA ABRAHAM, AND ATANUBASU. "TRANSMISSION ELECTRON MICROSCOPY IMAGING OF SARS-COV-2." THE INDIAN JOURNAL OF MEDICAL RESEARCH (2020).
4. LEPPARD, GARY G. "EVALUATION OF ELECTRON MICROSCOPE TECHNIQUES FOR THE DESCRIPTION OF AQUATIC COLLOIDS." IN ENVIRONMENTAL PARTICLES, PP. 231-289. CRC PRESS, 2019.
5. KALIPE, G., GAUTHAM, V., BEHERA, R. K. (2018, DECEMBER). PREDICTING MALARIAL OUTBREAK USING MACHINE LEARNING AND DEEP LEARNING APPROACH: A REVIEW AND ANALYSIS. IN 2018 INTERNATIONAL CONFERENCE ON INFORMATION TECHNOLOGY (ICIT) (PP. 33-38). IEEE.
6. VINOD BHARAT ET AL. "STUDY OF DETECTION OF VARIOUS TYPES OF CANCERS BY USING DEEP LEARNING: A SURVEY", INTERNATIONAL JOURNAL OF ADVANCED TRENDS IN COMPUTER SCIENCE AND ENGINEERING, 2019, VOLUME 8 ISSUE 4, PP 1228-1233