

HUMAN POSE ESTIMATION AND ITS APPLICATIONS IN DEEP LEARNING

Rajeshwari Ramakota¹

¹Software Developer, National Commissioners, Karnataka, India

Abstract

The deep convolutional semantic network was educated on ImageNet dataset with 1.2 million classified pictures with information enhancement, as well as structured with customized layers such as ReLU as well as Failure. They additionally utilized a lot more effective equipment to do float calculations. These concepts, as well as methods, have actually laid the foundation for contemporary convolutional semantic networks. Their successes and also lessons have actually advertised the growth of both CNN and also vision science research. This short article makes a study of current development in CNN because in 2012. We will certainly present the general architecture of a contemporary CNN as well as make understandings right into numerous common CNN versions which have actually been researched thoroughly. We will certainly additionally evaluate the initiatives to comprehend CNN as well as evaluation essential applications of CNN's in computer system vision jobs..

Index Terms :Deep Learning, Convolutional Deep Belief Network, Convolutional Neural Networks, Natural Language, Computer Vision,

I. Introduction

Ever since increasingly more study jobs have actually revealed the significant development of CNN's over modern state-of-art approaches on big datasets. Today, convolutional semantic networks have actually been effectively gotten item detection, photo category, photo division, movement discovery as well as inter- corrective jobs of computer system vision and also all-natural language handling. Meantime, open resource deep understanding devices such as Caffe have actually been emerging and also accumulating features from one of the most current study jobs. This gives one more propulsion of the create- meant of deep knowledge in computer system vision. Conventional architectures made use of for dealing computer system vision issues are greatly in control on customer attributes. Yet the brand-new deep discovering strategies have actually offered a replacement for instantly finding out the issue- associated attributes. Therefore the understanding of what kind of deep networks appropriate for an offered issue collection is a tough job. Convolutional Semantic Network (CNN) was to start with introductory in Computer system Vision for picture acknowledgment by Le- Cun et al. in 1989. Ever since it has actually been commonly utilized in photo acknowledgment and also category jobs The current outstanding success of Krizhevsky et al. in ILSVRC 2012 competitors show the considerable development of modern deep CNN on picture category job. Influenced by his job, several current study jobs have actually been concentrat- ing on comprehending CNN as well as prolonging its application to even more traditional computer system vision jobs.

An Artificial Semantic Network [4] is an information handling archetype that is affected by the working of organic sensory systems, such as the mind procedure info. The vital part of this standard is the unique framework of the details taking care of structure. It is constructed out of a considerable variety of really interconnected taking care of parts (nerve cells) functioning as one to deal with specific concerns. Understanding the treatment of ANN resembles human beings, picking up from a variety of instances. An ANN is created for a certain application, for instance, pattern acknowledgment or information category, via a knowing treatment. Knowing in this structures consists of adjustments according to the short organizations that exist in between the nerve cells.

A Convolutional Semantic Network (CNN) contain greater than one convolutional layer with a subsampling layer and also afterward took after by at the very least one entirely connected layers as in a common multilayer system. All type of 2D information such as picture or speech signal can be refined with the architecture of the convolutional semantic network. This is acquired by weight, neighborhood link, as well as pooling. Neural network systems, with their incredible ability to obtain value from knotted or loosened details, can be made use of to focus layouts as well as identify patterns that are also uncertain to ever before be seen by either individuals or various other computational methods.

The principle of a semantic network has actually currently existed because the 1950s when Frank Rosenblatt produced the perception. Also, the convolutional semantic network itself is not a brand-new disadvantage whatsoever. The convolutional semantic network was to start with presented in [3] to identify transcribed POSTAL CODE in 1989, as well as later on included acknowledgment as well as category of different things such as hand-written figures (MNIST) [4], home numbers, web traffic indications as well as much more lately 1000-category ImageNet dataset.

II. LITERATURE SURVEY

CireAn, Dan, Ueli Meier, Jonathan Masci, as well as Jürgen Schmidhuber discusses regarding the application of a computerized system that can be qualified to identify the German web traffic indication. The efficient use of parameterized GPU for the application of DCNN [9] boosted the effectiveness of approximately 99.46%. Rather than utilizing one DCNN for the whole procedure, they incorporated numerous DNN that educated under various problems right into numerous columns. And also thus it accomplishes the highest possible precision also when it comes to lighting as well as comparison adjustments. This technique can be embraced for identifying any kind of various other web traffic indications. The foundation of their job is Multi-column deep neural network (MCD) [10] It changes the convolutions with max merging [11] layers in the conventional architecture. According to the architecture, preprocessed the input picture by n various preprocessors and also an arbitrary variety of sections prepared on every area input. The averaging specific insight of each DNN provides the last forecast. Each DNN component has a team of convolutional as well as max-pooling layers. Convolutional layer carries out the 2D convolution, as well as the outcomes, are traveled through the activation feature. Making use of max merging layer instead of subsampling layer sets apart DNN from CNN. The dimension of limit merging, as well as convolutional bits, are picked in a manner that the result maps to a 1D attribute vector. Dataset is preprocessed well prior to training. The arbitrary minimal esteem for utilizing translation, turning, scaling is picked such a manner in which $\pm 10\%$ of the initial dimension of the picture and also ± 5 levels for turning. The various DNN column is designated with various weight. One input can be defined differently. Lastly, the outcome acquiring from each DNN is balanced. This will certainly decrease the ordinary mistake. They made use of a system with core i7-- 950 (3.33 GHz), 24 GB DDR3, as well as 4 graphics cards of kind GTX 580 and also 9 DNN layer framework for executing this job. Which can be prepared by utilizing easy slope descend. Each layer includes 25 webs for 5 various information. The outcome accomplishes the acknowledgment price of 99.46 %. Comparing with specific DNN it is an extreme success. Integrating the private DNN boosts the precision along with rises the effectiveness of a different kind of sound.

Imagenet is a photo data source made up by the globe internet tiers in which each node is represented by thousands of photos. Krizhevsky, Alex, Ilya Sutskever, as well as Geoffrey E. Hinton [4] describes the range of DCNN in the area of huge information. Below CNN is utilized to categorize the 1.2 numerous the top-notch photo right into greater than 1000 groups [12] It mentions they might attain the most affordable mistake price amongst existing approach. The efficient monitoring of CPU system minimizes the moment needed for performing. To boost the efficiency of the classifier in a huge dataset, find out the a lot more effective version as well as discover the most effective approach to lower the overfitting [13] convolutional semantic networks are the most effective selection as a result of its effectiveness in taking care of huge datasets as well as top quality to decrease overfitting. It is a really boosted GPU use of 2D convolution [14]

Zou, Yuexian, Bouquet Li, Yi Wang, Jiasheng Yu, Yi Li, and also W. J. Dengis based upon the cordless pill endoscopy photos by utilizing the capacity of effective knowing ability of DCNN it is made use of to divide the high semantic functions from WCE pictures. It has actually accomplished the 95% of precision by educating the system with countless photos with different criteria. A cordless mini enveloped camera is made use of to catch photos inside the tummy. The electronic camera takes 50000 to 60000 pictures per 8 hrs of a research study. It is noninvasive, pain-free and also not reusable. By utilizing these photos the DCNN system categorizes the digestion body organs right into the belly, little intestinal tract as well as the colon. There exist a number of techniques to categorize these organs-by making use of DCT as well as PCA making use of Getting Operating Particular (ROC) contour evaluation [6], category utilizing border based upon power feature [7] However this job focuses on the ability of the DCNN for category.

III. Neural Network Architectures

Though it has actually more than 25 years after the initial disadvantage- the evolutionary semantic network was suggested, modern-day convolutional semantic networks still share really comparable architectures with the initial one, such as convolutional layers, as well as share comparable training plan such as ahead and also backward proliferation. In this area, we will certainly offer an account of a normal convolutional semantic network as well as present one of the most essential suggestions in the style of a convolutional semantic network. In the remainder of this study, we will certainly make use of the term CNN and also convolutional semantic network reciprocally.

First of all, we will certainly present 3 most import convolutional semantic network versions that often referred to in this paper: LeNet, ConvNet, and also VGGNet. The LeNet was first of all presented in 1989 and also developed to grow in 1998 to identify hand-written figures. LeNet is frequently viewed as the model of a contemporary CNN. Its framework is received Number 1. The ConvNet was suggested by Krizhevsky et al. in 2012 for ImageNet Large-Scale Visual Acknowledgment Obstacle (ILSVRC) com- request, as well as began the age of deep understanding in computer system vision. Those imaginative concepts brought by ConvNet such as information enhancement as well as corrected direct activation feature have actually been verified vital to educating a fantastic range modern-day CNN. Its framework is received Number 2. The VGGNet is a renovation of ConvNet in 2014, as well as its technique people- in much deeper layers and also smaller sized convolutional filters, has actually been commonly approved to enhance efficiency. It is additionally a standard CNN of producing picture deep functions in several deep knowing associated jobs.

Convolutional Neural Networks Configurations		
LeNet	ConvNet	VGGNet
5 weight layers	8 weight layers	16 weight layers
Input (28 × 28 gray image)	Input (224 × 224 RGB image)	
conv 6@5x5	conv 96@11x11	conv 64@3x3 conv 64@3x3
pooling		
conv 16@5x5	conv 256@5x5	conv 128@3x3 conv 128@3x3
pooling		
NA	conv 384@3x3	conv 256@3x3 conv 256@3x3 conv 256@3x3
	pooling	
	conv 384@3x3	conv 512@3x3 conv 512@3x3 conv 512@3x3
	pooling	
NA	conv 256@3x3	conv 512@3x3 conv 512@3x3 conv 512@3x3
	pooling	
fc-120	fc-4096	
fc-84	fc-4096	
fc-10	fc-1000	
RBF	softmax	

Table 1: LeNet, ConvNet and VGGNet Architectures

IV. APPLICATIONS OF CNN

Computer Vision

Convolutional semantic networks are used to recognize the pecking order or theoretical framework of a photo. Rather than feeding each picture right into the semantic network as one grid of numbers, the picture is damaged down right into overlapping picture floor tiles that are each fed right into a tiny semantic network.

Convolutional semantic networks are trainable multi-stage architectures [3], [4] with the inputs and also outcomes of each phase including collections of varieties called function maps. If the input is a color picture, each attribute map is a 2D range having a color network of the input photo, for a video clip or a volumetric photo it would certainly be a 3D range. Each attribute removed in any way places on the input is stood for by a function map at the result. Each phase is made up of a filter financial institution layer, a non-linearity layer and also a function merging layer. A common CNN is made up of one, 2 or 3 such 3- layer phases, complied with by a category component.

1) Face Recognition:

Face Recognition makes up a collection of associated troubles-

- Recognizing all the faces aware.
- Concentrating on each face regardless of poor illumination or various position.
- Determining special attributes.
- Contrasting recognized functions to existing data source as well as establishing the individual's name.

Faces stand for a complicated, multi-dimensional, aesthetic stimulation which was earlier provided utilizing a crossbreed semantic network integrating regional picture tasting, a self-organizing map semantic network and also a convolutional semantic network. The outcomes existed utilizing Karhunen-Loe've change instead of the self-organizing map which carried out nearly also (5.3% mistake versus 3.8%) as well as a multi-layer perceptron which choked up (40% mistake versus 3.8%).

2) Scene Labelling:

Each pixel is classified with the group of the things it comes from in scene labeling. Clement Farabet et alia recommended a technique utilizing a multiscale convolutional network that generated document precisions on the Sift Circulation Dataset (33 courses) and also the Barcelona Dataset (170 courses) as well as near-record precision on Stanford History Dataset (8 courses). Their approach created 320 X 240 picture labeling in under a 2nd consisting of attribute removal.

Recurring architecture for convolutional semantic network recommends a consecutive collection of networks sharing the exact same collection of criteria. The network instantly discovers to smooth its very own anticipated tags. As the context dimension enhances with the integrated reappearance, the system determines as well as fixes its very own mistakes. An easy and also scalable discovery formula that enhances mean typical accuracy (mAP) by greater than 30% about the previous finest outcome on VOC 2012-- accomplishing an mAP of 53.3% was recommended by scientists at UCB and also ICSI. It was called as R-CNN: Areas with CNN includes as it mixed area propositions with CNN attributes. Completely convolutional networks educated end-to-end, pixels- to-pixels deal with the drawbacks of previous methods of CNN's which were made use of for semantic division in which each pixel was identified with the course of its inscribing item or area. Totally convolutional networks adjusted from modern category networks such as AlexNet, GoogleNet and also VGG webattain advanced division of PASCAL VOC (20% family member enhancement to 62.2% mean IU on 2012), NYUDv2, as well as SORT Circulation, while reasoning takes much less than one fifth of a 2nd for a regular photo. [7] Given that the previous 2 years Deep Convolutional Neural Networks (DCNNs) have actually substantially boosted the efficiency of computer system systems on issues in photo category (Krizhevsky et al., 2013; Sermanet et al., 2013; Simonyan & Zisserman, 2014; Szegedy et al., 2014; Papandreou et al., 2014). The job of George Papandreou, Liang-Chieh Chen et al. reveals that reactions at the last layer of DCNNs are not completely local for precise things division. A

completely attached Conditional Random Field (CRF) is utilized to conquer this trouble as well as provides a 71.6% IOU precision in the examination established for a brand-new state-of-art at the PASCAL VOC- 2012 semantic picture division job.

3) Image Classification:

Compared to various other approaches CNN's attain much better category precision on huge range datasets as a result of their capacity of a joint attribute as well as classifier discovering. [9] create the AlexNet as well as attain the most effective efficiency in ILSVRC 2012. Adhering to the success of the AlexNet, numerous jobs made substantial enhancements in category precision by decreasing filter dimension or broadening the network deepness.

A quick, totally parameterizable GPU application of CNN released benchmark outcomes for things category (NORB, CIFAR10) with mistake prices of 2.53%, 19.51%. GPU code for picture category is up to 2 sizes quicker than its CPU equivalent. Multi-column deep semantic networks(MCDNN) can exceed all previous techniques of picture category as well as show that pre-training is not essential(though often valuable for little datasets) while reducing the mistake price by 30-40% Non-saturating nerve cells and also effective GPU execution of the convolution procedure led to a winning top-5 examination mistake price of 15.3%, contrasted to 26.2% attained by the second-best access in the ILSVRC-2012 competitors for category of 1.2 million high-resolution pictures in the ImageNet LSVRC-2010 competition right into the 1000 various courses.

Ordered Deep Convolutional Neural Networks (HD- CNN) are based upon the instinct that some courses in photo category are extra complicated than various other courses. It improves the standard CNN's which are N-way classifiers as well as adheres to the coarse-to-fine category technique and also layout component. HD-CNN with CIFAR100- NIN foundation is attended reveal a screening precision of 65.33% which is greater than the precision for various other common deep designs as well as HD-CNN designs on CIFAR100 dataset.

4) Human Pose Estimation:

Human-pose acknowledgment is long-lasting trouble in computer system vision. This is mostly as a result of the high dimensionality of the input information as well as the high irregularity of feasible body positions. Conventional techniques have a tendency to depend upon look hints to anticipate the human present instead of motion-based attributes. Since both the neighborhood proof as well as the international framework are handcrafted, there is a huge range for mistakes. For this reason, this system attempts to find out both the regional functions as well as the worldwide framework utilizing a convolutional semantic network. This system uses motion-based attributes to outshine existing modern strategies to forecast the human present.

V. CONCLUSION

CNN is certainly at its flourish today, as well as it redefines most of the cutting-edge techniques in computer system vision. In this paper, a study based upon an application of a deep convolutional semantic network exists. This job will certainly aid to acquaint the application of neural network carefully. To categorize the photos of big dataset like image-net, a semantic network is well executed. Likewise feasible to club the monitored discovering method like CDBN with deep architecture to improve the knowledge. Making use of the rugged attribute removal ability of the common surprise layer, it is made use of for the personality acknowledgment. Making use of the greater semantic photo attributes, DCNN can be made use of for the real-time category gastrointestinal body organs from cordless sensing unit endoscopy pictures.

References

- [1] A. Berg, J. Deng, and L. Fei-Fei. *Large scale visual recognition challenge 2010*. www.image-net.org/challenges. 2010.
- [2] Peddyreddy. Swathi, "Approaches And Objectives towards Financial Management", *International Journal of Advanced in Management, Technology and Engineering Sciences*, Volume IV, Issue 1, 2014
- [3] Peddyreddy. Swathi, "An Overview On The Types Of Capitalization", *International Journal of Advanced in Management, Technology and Engineering Sciences*, Volume VI, Issue 1, 2016
- [4] Peddyreddy. Swathi, "Architecture And Editions of Sql Server", *International Journal of Scientific Research in Computer Science, Engineering and Information Technology*, Volume 2, Issue 4, May-June-2017
- [5] Peddyreddy. Swathi, "Scope of Financial Management and Functions of Finance", *International Journal of Advanced in Management, Technology and Engineering Sciences*, Volume III, Issue 1, 2013

- [6] Peddyreddy. Swathi, "A Study On Security Towards Sql Server Database", *JASC: Journal of Applied Science and Computation*, Volume V, Issue II, February 2018
- [7] Peddyreddy. Swathi, "A Comprehensive Review on The Sources of Finance", *International Journal of Scientific Research in Science, Engineering and Technology*, Volume 1, Issue 4, July-August 2015
- [8] Peddyreddy. Swathi, "A Study on SQL - RDBMS Concepts And Database Normalization", *JASC: Journal of Applied Science and Computations*, Volume VII, Issue VIII, August 2020
- [9] Peddyreddy. Swathi, "A Comprehensive Review on SQL - RDBMS Databases", *Journal of Emerging Technologies and Innovative Research*, Volume 6, Issue 3, March 2019.
- [10] Peddyreddy. Swathi, "An Overview on the techniques of Financial Statement Analysis", *Journal of Emerging Technologies and Innovative Research*, Volume 1, Issue 6, November 2014
- [11] Peddyreddy. Swathi, "COMPLEXITY OF THE DBMS ENVIRONMENT AND REPUTATION OF THE DBMS VENDOR", *Journal of Interdisciplinary Cycle Research*, 13 (3), 2054-2058
- [12] Peddyreddy. Swathi, "Implementation of AI-Driven Applications towards Cybersecurity", *JASC: Journal of Applied Science and Computations*, 7(8), 127-131
- [13] Peddyreddy. Swathi. (2022). Implications For Research In Artificial Intelligence. *Journal of Electronics, Computer Networking and Applied Mathematics (JECNAM)* ISSN : 2799-1156, 2(02), 25–28. Retrieved from <http://journal.hmjournals.com/index.php/JECNAM/article/view/447>
- [14] Peddyreddy. Swathi. (2022). A Study On The Restrictions Of Deep Learning. *Journal of Artificial Intelligence, Machine Learning and Neural Network (JAIMLNN)* ISSN: 2799-1172, 2(02), 57–61. Retrieved from <http://journal.hmjournals.com/index.php/JAIMLNN/article/view/444>
- [15] Peddyreddy. Swathi. (2022). Industry Applications of Augmented Reality and Virtual Reality. *Journal of Environmental Impact and Management Policy (JEIMP)* ISSN: 2799-113X, 2(02), 7–11. Retrieved from <http://journal.hmjournals.com/index.php/JEIMP/article/view/453>
- [16] Kola Vasista. (2022). Benefits And Approaches Of Artificial Intelligence. *Journal of Artificial Intelligence, Machine Learning and Neural Network (JAIMLNN)* ISSN: 2799-1172, 2(02), 52–56. Retrieved from <http://journal.hmjournals.com/index.php/JAIMLNN/article/view/443>
- [17] Kola Vasista. (2022). Practical Approach Of Implementing Artificial Intelligence. *Journal of Electronics, Computer Networking and Applied Mathematics (JECNAM)* ISSN : 2799-1156, 2(02), 21–24. Retrieved from <http://journal.hmjournals.com/index.php/JECNAM/article/view/445>
- [18] Vasista, K. (2022). Evolution of AI Design Models. *Central Asian Journal Of Theoretical & Applied Sciences*, 3(3), 1-4. Retrieved from <https://cajotas.centralasianstudies.org/index.php/CAJOTAS/article/view/415>
- [19] Vasista, K. (2022). Augmented Reality Vs. Virtual Reality. *Central Asian Journal Of Mathematical Theory And Computer Sciences*, 3(3), 1-4. Retrieved from <https://cajmics.centralasianstudies.org/index.php/CAJMTCS/article/view/154>
- [20] Kola Vasista. (2022). Implications for Policy and Practice Towards VR and AR. *Journal of Environmental Impact and Management Policy (JEIMP)* ISSN: 2799-113X, 2(01), 13–17. Retrieved from <http://journal.hmjournals.com/index.php/JEIMP/article/view/452>
- [21] Kola Vasista, "Foreign Capital Issuance and Participants in the Securities Market", *International Journal of Research and Analytical Reviews*, VOLUME 2, ISSUE 4, OCT. – DEC. 2015
- [22] Kola Vasista, "A Research Study On Major International Stock Market", *International Journal of Research and Analytical Reviews*, VOLUME 4, ISSUE 3, JULY – SEPT. 2017
- [23] Kola Vasista, "A Review On The Various Options Available For Investment", *International Journal Of Creative Research Thoughts - IJCRT (IJCRT.ORG)*, Volume 7, Issue 2, April 2019, ISSN: 2320-2882
- [24] Kola Vasista, "Types And Risks Involved Towards Investing In Mutual Funds", *International Journal of Current Science (IJCS PUB)*, Volume 12, Issue 1, March 2022, ISSN: 2250-1770
- [25] Kola Vasista, "Role Of a Stock Exchange In Buying And Selling Shares", *International Journal of Current Science (IJCS PUB)*, Volume 12, Issue 1, March 2022, ISSN: 2250-1770
- [26] Kola Vasista, "A Detailed Study On The Factors Influencing The Price Of a Stock", *International Journal of Novel Research and Development*, Volume 2, Issue 8, August 2017, ISSN: 2456-4184
- [27] Kola Vasista, "Objectives And Importance Of Capital Markets And The Role Of Financial Institutions", *International Journal of Emerging Technologies and Innovative Research (www.jetir.org)*, ISSN: 2349-5162, Vol.2, Issue 9, page no.475-478, September-2015, Available : <http://www.jetir.org/papers/JETIR1701762.pdf>
- [28] Kola Vasista, "An Overview On Provident Fund, Pension Funds, Pfrda, Insurance Companies And IRDA", *International Journal of Emerging Technologies and Innovative Research (www.jetir.org)*, ISSN: 2349-5162, Vol.5, Issue 10, page no.284-287, October-2018, Available : <http://www.jetir.org/papers/JETIR1810A93.pdf>
- [29] Kola Vasista, "Regulatory Compliance and Supervision of Artificial Intelligence, Machine Learning and Also Possible Effects on Financial Institutions", *International Journal of Innovative Research in Computer and Communication Engineering*, Volume 9, Issue 6, June 2021
- [30] Kola Vasista, "Micro-Financial Analysis And A Schematic View of Ai, Machine Learning and Big Data Analytics On Financial Markets", *International Journal of Scientific Research in Computer Science, Engineering and Information Technology (IJSRCSEIT)*, Volume 7, Issue 3, 2021
- [31] Kola Vasista, "Implications of AI and Machine Learning Applications Towards Financial Markets", *International Journal of Scientific Research in Science and Technology (www.ijrst.com)*, Volume 4, Issue 2, 2018
- [32] Kola Vasista, "Scope for the Usage of AI and Machine Learning in Portfolio Management and Possible Effects on Consumers and Investors", *International Journal of Innovative Research in Science, Engineering and Technology*, Volume 5, Issue 2, Feb 2016
- [33] Anumandla Mounika, "Threats, Opportunities Of The Cloud And Provision Of Application Services", *JASC: Journal of Applied Science and Computations*, Volume 2, Issue 1, Jan-June 2015
- [34] Anumandla Mounika, "Security And Privacy Issue Towards Data Security In Cloud Computing", *JASC: Journal of Applied Science and Computations*, Volume 1, Issue 1, January-June 2014
- [35] Anumandla Mounika Reddy, "IOT data discrimination and data protection", *International Journal of Academic Research and Development*, Volume 6, Issue 5, 2021, Page No. 20-22
- [36] Anumandla Mounika, "Data Security In The Cloud", *The International journal of analytical and experimental modal analysis*, Volume 1, Issue 4, July-December-2012
- [37] Anumandla Mounika, "A Review On Cloud Computing Platforms And Enterprise Cloud Computing Paradigm", *The International journal of analytical and experimental modal analysis*, Volume III, Issue II, July-November-2011
- [38] Anumandla Mounika, "An Overview On The Architectural Components Of Cloud", *International Journal of Research*, Volume 6, Issue 12, December 2017
- [39] Anumandla Mounika, "A Study On Cloud Computing Strategy Planning And Sla Management In Cloud", *International Journal of Research*, Volume 7, Issue 7, JULY 2018
- [40] Anumandla Mounika, "Process Of Migrating Into a Cloud And Issues In Cloud Computing", *Journal of Interdisciplinary Cycle Research*, Volume 2, Issue 1, January-June-2010

- [41] Anumandla Mounika, "Cloud Computing Infrastructure And Cloud Adoption Challenges", *Journal of Interdisciplinary Cycle Research*, Volume VI, Issue II, July-December 2014
- [42] Anumandla Mounika, "Technical Benefits And Architecting Cloud Applications In The Aws Cloud", *Parishodh Journal*, Volume VIII, Issue III, March-2019
- [43] Anumandla Mounika Reddy, "Service and deployment service models, IOT physical servers and cloud offerings", *International Journal of Advanced Research and Development*, Volume 6, Issue 4, 2021, Page No. 5-7
- [44] Anumandla Mounika Reddy, "A Review on IoT Enabled Technologies and Back-End Data-Sharing Model", *Journal of Electronics, Computer Networking and Applied Mathematics*, Vol 01, No. 01, Aug-Sep 2021
- [45] Anumandla Mounika Reddy, "Unique Privacy Aspects of Internet of Things", *Journal of Artificial Intelligence, Machine Learning and Neural Network*, Vol 01, No. 01, Aug-Sep 2021
- [46] Anumandla Mounika, "A Review on Applications of Artificial Intelligence for Public Cloud", *International Journal of Scientific Research & Engineering Trends*, Volume 7, Issue 3, May-June-2021
- [47] Satya Nagendra Prasad Poloju, "Data Mining As a Support For Business Intelligence Applications To Big Data", *International Journal of Creative Research Thoughts (IJCRT)*, ISSN:2320-2882, Volume.7, Issue 2, pp.850-854, April 2019, Available at :<http://www.ijcrt.org/papers/IJCRT1134576.pdf>
- [48] Satya Nagendra Prasad Poloju, "Big Data Analytics: Data Pre-Processing, Transformation And Curation", *International Journal of Creative Research Thoughts (IJCRT)*, ISSN:2320-2882, Volume.5, Issue 2, pp.835-839, May 2017, Available at :<http://www.ijcrt.org/papers/IJCRT1134573.pdf>
- [49] Satya Nagendra Prasad Poloju, "Applications Of Big Data Technology And Cloud Computing In Smart Campus", *International Journal of Creative Research Thoughts (IJCRT)*, ISSN:2320-2882, Volume.1, Issue 2, pp.840-844, September 2013, Available at :<http://www.ijcrt.org/papers/IJCRT1134574.pdf>
- [50] Satya Nagendra Prasad Poloju, "Relevant Technologies of Cloud Computing System", *International Journal of Engineering Research and Applications*, ISSN: 2248-9622, Vol. 4, Issue 4, (Version-3) April 2014, pp. 74-78, Available at:[https://www.ijera.com/pages/v4no4\(v3\).html](https://www.ijera.com/pages/v4no4(v3).html)
- [51] Satya Nagendra Prasad Poloju, "Service Models Towards The Evolution Of Cloud Computing", *International Journal of Engineering Research and Applications*, ISSN: 2248-9622, Vol. 10, Issue 6, (Series-VIII) June 2020, pp. 77-81, Available at:<https://www.ijera.com/pages/v10no6.html>
- [52] Satya Nagendra Prasad Poloju, "Global Optimization Of Complex Systems With Big Data", *International Journal of Novel Research and Development (www.ijnrd.org)*, ISSN:2456-4184, Vol.1, Issue 3, page no.1-6, December-2016, Available :<http://www.ijnrd.org/papers/IJNRD1612001.pdf>
- [53] Satya Nagendra Prasad Poloju, "Techniques For Improving Network Performance Using Big Data", *International Journal of Novel Research and Development (www.ijnrd.org)*, ISSN:2456-4184, Vol.3, Issue 3, page no.64-69, March-2018, Available :<http://www.ijnrd.org/papers/IJNRD1803015.pdf>
- [54] Satya Nagendra Prasad Poloju, "A Survey On Big Data Driven Networking And Cloud Computing Service Models", *IJRAR - International Journal of Research and Analytical Reviews (IJRAR)*, E-ISSN 2348-1269, P- ISSN 2349-5138, Volume.1, Issue 3, Page No pp.591-596, July 2014, Available at : <http://www.ijrar.org/IJRAR19D3651.pdf>
- [55] Satya Nagendra Prasad Poloju, "Evolution Of Data Mining Technique To Big Data Analytics And Big Data Analytics-Powered Industrial Solutions", *IJRAR - International Journal of Research and Analytical Reviews (IJRAR)*, E-ISSN 2348-1269, P- ISSN 2349-5138, Volume.5, Issue 4, Page No pp.584-590, November 2018, Available at : <http://www.ijrar.org/IJRAR19D3650.pdf>
- [56] Satya Nagendra Prasad Poloju, "Big Data Analytics-Powered Design Cycle And Deployment Of Big Data Analytics In The Cloud", *International Journal of Emerging Technologies and Innovative Research (www.jetir.org \ UGC and issn Approved)*, ISSN:2349-5162, Vol.9, Issue 5, page no. ppd218-d223, May-2022, Available at : <http://www.jetir.org/papers/JETIR2205446.pdf>
- [57] Satya Nagendra Prasad Poloju, "Cloud Computing Environments For Big Data", *International Journal of Emerging Technologies and Innovative Research (www.jetir.org)*, ISSN:2349-5162, Vol.4, Issue 9, page no.827-830, September 2017, Available :<http://www.jetir.org/papers/JETIR1709122.pdf>
- [58] Satya Nagendra Prasad Poloju, "A Study On The Principles Associated With Cloud Computing", *Strad Research*, VOLUME 6, ISSUE 12, 2019
- [59] Satya Nagendra Prasad Poloju, "Comparison Of Cloud Computing Deployment Models And Web 2.0 Interfaces To The Cloud", *Strad Research*, VOLUME 8, ISSUE 2, 2021
- [60] Adithya Vuppula, "Classification and Visualization of Data Mining Model", *International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering*, Vol. 4, Issue 8, August 2015
- [61] Adithya Vuppula, "Data Mining: Convergence of Three Technologies", *International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering*, Vol. 7, Issue 6, June 2018
- [62] Adithya Vuppula, "Initiatives of 5G Vision and 5G Standardization", *International Journal of Innovative Research in Computer and Communication Engineering*, Vol. 6, Issue 2, February 2018
- [63] Adithya Vuppula, "Security Mechanisms for IOT Services and Differences between IOT and Traditional Networks", *International Journal of Innovative Research in Science, Engineering and Technology*, Vol. 6, Issue 2, February 2017
- [64] Adithya Vuppula, "Communication and Protocols towards IOTBased Security", *International Journal of Innovative Research in Science, Engineering and Technology*, Vol. 3, Issue 10, October 2014
- [65] Adithya Vuppula, "Principles of Wireless Networking and Radio Transmission Technology", *International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering*, Vol. 1, Issue 2, August 2012
- [66] Adithya Vuppula, "Integrating Data Mining with Cloudusing Four Levels of Data Mining Services", *International Journal Of Multidisciplinary Research In Science, Engineering and Technology (IJMRSET)*, Volume 4, Issue 5, May 2021
- [67] Adithya Vuppula, "A Study on Minnesota Intrusion Detection System (Minds)", *International Journal Of Multidisciplinary Research In Science, Engineering and Technology (IJMRSET)*, Volume 1, Issue 1, November 2018
- [68] Adithya Vuppula, "Optimization Of Data Mining And The Role Of Big Data Analytics In Sdn And Intra-Data Center Networks", *International Journal of Science & Engineering Development Research (www.ijedr.org)*, ISSN:2455-2631, Vol.1, Issue 4, page no.389 - 393, April-2016, Available :<http://www.ijedr.org/papers/IJSDR1604070.pdf>
- [69] Adithya Vuppula, "Efficiency And Scalability Of Data Mining Algorithms", *International Journal of Science & Engineering Development Research (www.ijedr.org)*, ISSN:2455-2631, Vol.4, Issue 9, page no.322 - 328, September-2019, Available :<http://www.ijedr.org/papers/IJSDR1909045.pdf>
- [70] Adithya Vuppula, "An Overview on the Types of Wireless Networks", *International Journal of Innovative Research in Computer and Communication Engineering*, Vol. 1, Issue 9, November 2013
- [71] Adithya Vuppula, "Bonferroni's Principle for The Categorization Data Mining Systems", *International Journal of Scientific Research in Science and Technology (www.ijrst.com)*, Volume 2, Issue 5, September-October-2016
- [72] Adithya Vuppula, "Applying Data Mining Techniques Towards Exploring Variables Using Weka Explorer Interface", *Shodhshauryam, International Scientific Refereed Research Journal*, Volume 1, Issue 2, July-August-2018
- [73] Vasundhara D.N, Seetha M, "Rough-set and artificial neural networks-based image classification", *2nd International Conference on Contemporary Computing and Informatics (IC3I) 2016*, 35-39.
- [74] D.N. Vasundhara, M. Seetha, "Accuracy assessment of rough set based SVM technique for spatial image classification", *International Journal of Knowledge and Learning*, Vol. 12, No. 3, 2018, 269-285.

- [75] Dr. R. LAKSHMI TULASI, M.RAVIKANTH, "Intrusion Detection System Based On 802.11 Specific Attacks", *International Journal of Computer Science & Communication Networks*, Vol 1, Issue 2, Nov 2011
- [76] Ravikanth, Suresh.CH, Sudhakar Yadav.N, "Image Based Kitchen Appliances Recognition And Recommendation System", *GIS SCIENCE JOURNAL*, Vol.8, Issue No. 12, December 2021
- [77] Dr. Joel Sunny Deol Gosu, Dr. Pullagura Priyadarsini Ravi Kanth Motupalli, "A Hybrid Approach for the Analysis of Feature Selection using Information Gain and BAT Techniques on The Anomaly Detection", *Turkish Journal of Computer and Mathematics Education*, Vol.12, No. 5, April 2021
- [78] D.N. Vasundhara, M. Seetha, "Hybrid Classification Models using ANN and Fuzzy Support Vector Machines on Spatial Databases", *Data Mining and Knowledge Engineering*, Vol.7, Issue 8, 2015, 279-282.
- [79] D.N. Vasundhara, M. Seetha, "Implementation of hybrid RS-ANN for spatial image classification", *2016 IEEE International Conference on Computational Intelligence and Computing Research (ICIC)*, 2016, 1-5.
- [80] D.N. Vasundhara, M. Seetha, "Implementation of Spatial Images Using Rough Set-Based Classification Techniques", *Advances in Intelligent Systems and Computing*, Volume 1090, 2020, 453-466.
- [81] Ravi Kanth Motupalli, Dr. O. Naga Raju, "Integration of SQL Modelling and Graph Representations to Disaggregated Human Activity Data for Effective Knowledge Extraction", *Psychology And Education*, Volume 57, Issue 8, 2020
- [82] Kota Chaitanya Kumar, Ravi Kanth Motupalli, "Arduino Uno based Smart Helmet with Protective Bike System Using IoT", *Jour of Adv Research in Dynamical & Control Systems*, Vol. 12, No. 9, 2020
- [83] Ravi Kanth Motupalli, Dr. O. Naga Raju, "A Systematic Review on Modelling of Human Activity Patterns in Smart Homes", "Science, Technology and Development", Volume VIII, Issue XII, Dec 2019
- [84] Chalumuru Suresh, Ravi Kanth Motupalli, Srivani.B, Venkata Krishna Rao.M, Somula Ramasubbareddy, "Predicting Students' Transformation To Maximum Depressive Disorder And Level Of Suicidal Tendency", *International Journal of Advanced Science and Technology*, Volume 29, No. 7s, 2020
- [85] Madhavi Latha Navuluri, Ravikanth Motupalli, "Enabling Smart Cities through the frame work of IOT", *International Journal of Research and Analytical Reviews*, Volume 6, Issue 1, Jan 2019
- [86] D.N. Vasundhara, M. Seetha, "Rough Set based SVM Technique for Spatial Image Classification", *International Journal of Control Theory and Applications*, Volume 9, Issue 44, 2017, 365-378.
- [87] Venkata Krishna Rao, Ch Suresh, K. Kamakshaiiah, M. Ravikanth, "Prototype Analysis for Business Intelligence Utilization in Data Mining Analysis", *International Journals of Advanced Research in Computer Science and Software Engineering*, Volume 7, Issue 7, July 2017
- [88] P Ramakrishna, M Ravikanth, "Provable Data Possession & Analysis of Cloud's Data using Fuzzy Clustering", *International Journal of Engineering Science & Advanced Technology*, Volume-6, Issue-1, Feb 2016
- [89] Shaik. Kareem Basha, L. Harika, M. Ravi Kanth, "List Search Algorithm using Queue", *International Journal of Advanced Research in Computer Science and Software Engineering*, Volume 4, Issue 12, Dec 2014
- [90] Dr. R. LAKSHMI TULASI, M.RAVIKANTH, "Impact of Feature Reduction on the Efficiency of Wireless Intrusion Detection Systems", *International Journal of Computer Trends and Technology*, July-Aug 2011
- [91] L. Breiman. *Random forests. Machine learning*, 45(1):5-32, 2001.