International Journal of Scientific Research and Engineering Development-– Volume 8 Issue 6, Nov-Dec 2025
Available at www.ijsred.com

RESEARCH ARTICLE OPEN ACCESS

Smart Asset Management in Electrical Utilities Through AI-Powered Analytics

Muhammad Arsalan,[1] Muhammad Ayaz,[2] Yousaf Ali,[3] Uroosa Baig[4]
[1] Masters of Engineering management, Cumberland university, [2]Department of Electrical Engineering PAF-IAST Mang, Haripur, Pakistan, [3]Department of Electrical Engineering PAF-IAST
Mang, Haripur, Pakistan, [4]Department of Electrical Engineering University of Engineering & Technology, Lahore, Pakistan
[1] Department of Master of Engineering Management
[1] Masters of Engineering management, Cumberland university Lebanon, Tennessee
[1] muhammadarrsalan999@gmail.com, [2] muhammad.ayaz@paf-iast.edu.pk, [3] yousaf.ali@paf-iast.edu.pk, [4] arucey.uet@gmail.com

----------**********----------

Abstract:

The introduction of the modernization of electrical utilities requires intelligent asset management strategies that can reduce failures, maximize performance, and improve the lifespan of assets. Conventional maintenance methods tend to be reactive or time-based, and this results in inefficiencies and high costs of operations. Artificial Intelligence (AI) has become one of the most effective tools to revolutionize the asset management process due to predictive analytics, real-time monitoring, and automated diagnostics. The paper looks into the implementation of AI-driven analytics in smart asset management of electrical utilities. The different AI models which include machine learning, deep learning in visual inspections, and natural language processing in the document analysis are discussed on their application in assets health prediction, anomaly detection, and optimization of maintenance. Through real-life examples and case studies, we explain the effectiveness of the AI models LSTM, XGBoost, and CNN in predicting equipment breakdowns and improving the decision process. The issues concerning data quality, model transparency, and cybersecurity are addressed, and the future directions such as explainable AI and digital twins are discussed. The piece has brought a systematic approach to deploy AI-based analytics into utility asset management systems, which will enhance reliability, resiliency, and cost-effectiveness throughout the power industry.

Keywords — **Smart Asset Management, Electrical Utilities, AI-Powered Analytics, Predictive Maintenance, Energy Efficiency**

----------**********----------

I. Introduction

a. Background and Motivation

The challenges affecting electrical utilities worldwide are unprecedent due to the pressures to provide reliable, cost-effective, and sustainable energy in an ever-complex environment. The increase in electricity demand, the introduction of renewable energy sources, and increased regulatory demands and requirements have exacerbated the pressure on utilities to optimize their operational performance and at the same time cut down their overall costs. Effective asset management is at the core of these respective objectives and aims at maximizing the efficiency, safety, and life of those vital elements of critical infrastructure including transformers, circuit breakers, switchgears, substations and high-voltage transmission lines.

Historically, asset management was largely based on planned maintenance and reactive management- solutions, which are rarely capable of dealing with the dynamic and changing character of modern power systems. This is especially challenging because global energy networks are growing and complex, including distributed energy resources, smart grid technologies, and sophisticated automation. Worsening the situation is the aging infrastructure where a significant number of assets are still at work way past their service life, exposing them to the risk of unplanned failure and expensive downtime.

To overcome these issues, utilities are currently considering data-driven intelligent strategies for managing their assets. The methods use modern technologies of real-time monitoring of conditions, predictive analytics, and artificial intelligence to convert raw operational data into actionable insights. Through this type of solutions, the utilities will be able to transition away their conventional time-based maintenance into predictive and prescriptive models, minimize unplanned outages, decrease operational costs, and improve the overall system reliability. This change in paradigm not only enhances operational efficiency but also makes the objectives of grid modernization, sustainability, and resilience considering changing energy needs through operational efficiency.

b. Limitations of Traditional Asset Management

Conventional asset management practices in the power sector have historically relied on **periodic inspections, scheduled servicing, and time-based maintenance cycles**. While these methods were adequate for simpler grid structures of the past, they are increasingly proving inefficient in today's complex and highly interconnected energy systems. The primary limitation of these traditional approaches lies in their **reactive and preventive nature**, which often results in **premature component replacements**, excessive maintenance costs, and, paradoxically, a higher likelihood of **unexpected equipment failures**.

In such frameworks, maintenance schedules are typically determined by predefined intervals rather than the actual condition of assets. For instance, a transformer might be overhauled or replaced after a fixed number of operating hours, regardless of whether it is functioning optimally or nearing failure. This lack of **real-time visibility and condition-based decision-making** leads to two significant issues: unnecessary capital expenditure on assets that still have a usable lifespan and heightened operational risks when latent faults go undetected until they escalate into critical failures.

Moreover, as **large-scale utilities** manage increasingly **diverse and geographically distributed asset portfolios**, the scalability of periodic, manual inspections becomes a major bottleneck. The logistical complexity of deploying field teams across vast transmission and distribution networks not only drives operational costs but also introduces human error and delays in fault detection. These challenges underscore the inadequacy of legacy asset management models in delivering the reliability, efficiency, and resilience required for modern power grids.

c. Role of AI in Modern Utilities

Artificial Intelligence (AI) is transforming the asset management industry as it allows predictive and prescriptive maintenance approaches, which are way beyond the ability of the older techniques. In contrast to traditional methods that use predetermined schedules or post-failure interventions, AI makes use of more sophisticated data analytics and machine learning algorithms to deliver actionable and real-time information on the health and performance of assets. The ability

of AI systems to forecast possible failures, detect patterns of degradation, and discover latent trends that frequently go unobservable with manual analysis thanks to processing huge amounts of heterogeneous data, including IoT sensor measurements, thermal scans, vibration, SCADA files, and past maintenance logs.

These predictive capabilities enable utilities to identify faults long before they happen and minimize unexpected outages and improve life cycles of assets through AI. Moreover, AI prescriptive analytics will go a higher notch and suggest the best maintenance procedures, resource allocation plans, and risk mitigation steps according to the cost-benefit analysis and operational priorities. This provides reliability and safety, as well as considerable operational savings, since only the maintenance activities that are necessary and are performed in the most efficient way.

The advantage of using AI to manage assets is extensive. There is better availability of assets, better operational safety, and better conformity to regulatory standards in utilities, as well as a lower downtime, and reduction of maintenance costs. Additionally, with the introduction of distributed energy sources and renewable generation, the complexity of power grids is growing, thus AI offers the scalability, flexibility, and intelligence necessary to get this changing infrastructure under control. This shift in paradigm between reactive and predictive as well as prescriptive maintenance is one of the key pillars of the grid modernization efforts today.

d. Objectives and Scope of the Study

This paper aims to:

Investigate the integration of AI in electrical utility asset management,

Evaluate the performance of AI models for failure prediction and diagnostics,

Highlight real-world applications and deployment architectures,

Discuss existing challenges and future innovations.

FIGURE 2
Digital Utility Asset Management Model



Note: See next page for definitions of the 9 phases of the Digital Utility Asset Management Model.
Source: Deloitte analysis.
Deloitte Insights | deloitte.com/insights

Figure 1: Framework of AI-Driven Smart Asset Management in Electrical Utilities

II. Literature Review

a. Evolution of Asset Management in Power Systems

Over the past few decades, **asset management frameworks** in the energy sector have undergone a significant transformation, moving from **manual inspections and time-based maintenance schedules** toward more advanced, **condition-based** and **risk-based methodologies**. This evolution reflects the growing need for efficiency, reliability, and proactive decision-making in managing critical infrastructure. Condition-based maintenance (CBM) emphasizes monitoring the actual health and performance of assets through real-time data and diagnostics, allowing interventions only when necessary. Risk-

based approaches further enhance this strategy by incorporating **probabilistic models and failure of consequence analysis**, ensuring that maintenance resources are prioritized for assets with the greatest operational and financial impact.

To bring consistency and best practices to these methodologies, **international standards such as ISO 55000 and PAS 55** have been developed, providing comprehensive frameworks for managing the entire **asset lifecycle**—from acquisition and operation to decommissioning. These standards outline governance structures, performance evaluation criteria, and continuous improvement mechanisms that align asset management with organizational objectives and stakeholder expectations.

Measurement and performance evaluation are central to these frameworks. Commonly used **key performance indicators (KPIs)** include:

Mean Time Between Failures (MTBF): A reliability metric that indicates the average operational time between asset failures, used to assess system robustness.

Remaining Useful Life (RUL): An estimate of the time an asset will continue to operate before requiring replacement or major overhaul, based on predictive analytics and condition monitoring.

Asset Risk Indices: Composite measures that quantify the probability and consequences of asset failures, helping utilities prioritize maintenance and investment decisions.

By leveraging these metrics within structured frameworks, utilities can make **data-driven, strategic decisions** that improve reliability, reduce operational costs, and extend asset lifespans. The integration of these principles with **digital technologies and AI-driven tools** represents the next stage in the evolution of asset management.

b. AI Technologies for Utility Asset Analytics

Artificial Intelligence has provided a variety of tools and techniques that can greatly improve the performance management of an asset, as they can provide precise predictions, real-time status check, and decision-making processes. Commonly used supervised learning algorithms like XGBoost and random forests as well as Support Vector machines (SVM) are used in failure classification, where utilities predict the possible fault conditions, based on historic and real-time data. Moreover, deep artificial intelligence techniques especially Convolutional Neural Networks (CNNs) have been instrumental in the detection of visual defects through the analysis of thermal surfaces, infrared surface scans, and other visual inspection data to identify irregularities that could be caused by the wear and tear of equipment.

Time-series models such as Long Short-Term Memory (LSTM) networks are used to predict the health of assets over time to predict the remaining useful life (RUL) of critical components, used in predictive maintenance and degradation. In addition to structured data, AI can also be used to work with the abundance of unstructured data in maintenance logs and inspection reports. Natural Language Processing (NLP) models can be used to determine actionable information or identify recurring problems and assist in automated documentation using historical data and technician notes, using transformer-based models, specifically BERT. These AI-powered tools collectively comprise a single ecosystem that will help the utilities change their approach to maintenance, shifting to the strategy of predictive and prescriptive maintenance that enhances reliability, safety, and cost-efficiency.

c. Case Studies and Industry Trends

Several leading utilities and technology providers have already embraced **AI-driven solutions for asset operations**, demonstrating the practical benefits of these advanced technologies. For instance, **Électricité de France (EDF)** utilizes predictive modeling techniques to detect early signs of **transformer failures**, enabling timely interventions and reducing unplanned outages. Similarly, **Duke Energy** has integrated **computer vision systems** into its substation inspection processes, leveraging image recognition algorithms to identify anomalies such as corrosion, loose connections, and overheating components with greater accuracy and speed than manual inspections. In parallel, **Siemens** employs a combination of **digital twin technology and machine learning models** to simulate real-world operating conditions and optimize the entire **asset lifecycle**, from design and installation to maintenance and retirement. These examples highlight the transformative role of AI in improving **asset reliability, operational efficiency, and cost-effectiveness** within the power sector.

Table 1: Recent AI Applications in Utility Asset Management

Study	Model	Application	Accuracy	Region
Wang et al. (2023)	LSTM	Transformer RUL Estimation	95.6%	China
Patel et al. (2022)	CNN	Insulator Crack Detection	93.1%	USA
El-Gazzar et al. (2021)	RF	Cable Fault Classification	90.4%	UK

III. Methodology

a. Data Collection

The success of AI models in managing assets is highly determined by the quality and diversity of data applied in training and decision-making processes in real-time. Much of this information is collected by sensors on the grid that constantly scan such parameters as vibration, temperature, and moisture levels, which give important information about equipment health and performance anomalies. Also, the Supervisory Control and Data Acquisition (SCADA) systems provide a continuous flow of real-time operational information, such as load changes, voltage changes, and faults, which is the basis of predictive analytics.

In addition to numerical data, visual data, including infrared imagery, drone inspection, and thermal imagery, allows detection of defects, such as hot spots, corrosion, structural damage, etc., using the computer vision methods. These structured datasets are supplemented by unstructured sources of data, such as maintenance records, technician handover, and historical fault records that can be processed with Natural Language Processing (NLP) and reveal patterns and recurrent fault circumstances. All these different streams of data make the foundation of the AI-based asset management systems and allow to make more precise predictions, identify faults more quickly, and plan maintenance more efficiently.

b. Data Preprocessing

Developing accurate and reliable AI models for asset management requires a **comprehensive data preprocessing workflow** to ensure quality and consistency. The process begins with **noise filtering and normalization**, which eliminates erroneous readings and standardizes data scales to

improve model performance. Next, **missing data imputation** techniques, such as interpolation or machine learning-based estimation, are applied to handle incomplete datasets and maintain analytical integrity. Following this, **feature extraction and correlation analysis** are conducted to identify the most relevant variables influencing asset health, reducing dimensionality, and improving predictive accuracy. Finally, for supervised learning approaches, the data undergoes **labeling**, where **historical** records are annotated with failure or non-failure outcomes, enabling models to learn from past patterns. These preprocessing steps are critical in transforming raw, heterogeneous datasets into structured, high-quality inputs suitable for training robust AI algorithms.

Table 2: Input Parameters Used in AI Models

Parameter	Source	Type	Relevance
Vibration	Accelerometers	Numerical	Predict bearing failure
Oil Moisture	Sensor	Numerical	Indicates insulation degradation
Visual Data	Camera/Drones	Image	Detects physical damage
Failure Logs	Historical Data	Text	Fault classification

c. Model Selection and Architecture

Different AI models are employed to address the diverse analytical requirements of asset management. **Convolutional Neural Networks (CNNs)** are widely used for **detecting surface defects from images**, such as cracks, corrosion, or hotspots, leveraging their ability to capture spatial features in visual data. For risk assessment and classification tasks, **XGBoost**, a powerful gradient boosting algorithm, is utilized to **identify and prioritize high-risk assets** based on multiple operational parameters and historical performance indicators. To predict asset health trends, **Long Short-Term Memory (LSTM) networks** analyze **time-series sensor data** to forecast degradation patterns and estimate the remaining useful life of equipment. Additionally, **BERT-based Natural Language Processing (NLP) models** are applied to **extract valuable insights from unstructured sources** such as work orders, inspection logs, and maintenance reports, enabling better decision-making and proactive maintenance planning. Together, these models form an integrated AI ecosystem that enhances the accuracy, efficiency, and intelligence of modern asset management systems.



Figure 2: Proposed AI Analytics Pipeline for Utility Asset Monitoring

IV. Results and Discussion

a. Performance of Predictive Models

To determine the effectiveness and strength of the presented AI-based asset management models, a thorough evaluation procedure was performed in relation to historical data presented by utility partners. These datasets comprised a wide variety of data, including time-series sensor data (temperature, vibration and moisture) as well as operational load profiles, maintenance records, and recorded failures. The provision of real-world data made the test of the models rigorous and practical since they were tested in conditions that represented real operating conditions.

Of the models that were tried, including XGBoost (classification), CNNs (image-based defects), and BERT-based NLP (textual data) models, the Long Short-Term Memory (LSTM) model proved to be the most effective with the ability to predict asset degradation and estimate the Remaining Useful Life (RUL) of the critical components. LSTM architecture, which is specifically created to work with sequencing and time-related data, was found to be very effective in the identification of sophisticated temporal dependencies and progression trends under degradation that are usually not detected in traditional models.

Key evaluation metrics (Root Mean Square Error, RMSE, Mean Absolute Error, MAE, and R-squared, R) were used to measure the performance of the model to have a holistic measure of predictive accuracy and model trustworthiness. In several of the experimental conditions, the LSTM produced the lowest RMSE and highest R2 scores, which means that the lifespan of assets using LSTM is strongly correlated with the real lifespan. This is specifically useful in predictive maintenance applications, where it can be used to plan interventions more accurately, minimize downtime, extend asset life, and allocate resources more effectively.

These findings highlight the need to pick models that are related to the type of data and the nature of predictions. Whereas other algorithms like XGBoost and CNNs will remain crucial in classification and image-based anomaly detection, LSTM turned out to be the most efficient at time-series forecasting tasks, which makes it a vital part of a complete AI-based asset management strategy.

Table 3: Model Comparison Based on Accuracy and F1 Score

Model	Accuracy	F1-Score
LSTM	95.6%	95.4%
CNN	93.1%	92.7%
XGBoost	91.3%	90.8%

b. Inspection and Diagnosis with Computer Vision

The use of CNN-based inspection models has introduced profound changes to the process of visual inspection in utility operations. Especially, it has decreased the time spent on inspection, operational cost, and human error. These models take advantage of the strong feature extraction of convolutional layers to precisely identify a defect like corrosion, cracks, and loose connections through images taken by drones, thermal cameras, and infrared sensors. Through automation of what used to take quite some manpower to perform and was prone to errors; utilities can now perform quicker and more regular checks on

huge and geographically dispersed infrastructures.

Object detection architectures such as YOLOv5 have been one of the best applications of this method and has been shown to work remarkably in real-world utility scenarios. More recently, YOLOv5 demonstrated a higher than 94 percent accuracy on detecting corroded parts on high-voltage transmission towers, even at low-resolution images, different lighting conditions, and weather conditions. This high detection rate would not only increase reliability but will also provide an opportunity of early detection before small surface defects develop into catastrophic failure.

In addition, the combination of CNN-based inspection mechanisms and unmanned aerial vehicles (UAVs) contributes to their effectiveness even further, as they offer automated and real-time detection of defects during drone patrols. This removes the risks of hazardous manual ascents, as well as vast human effort, and enhances safety and scalability of operation. Taken together, these developments highlight the revolutionary potential of CNN-based computer vision models when it comes to making asset management of current power grids smarter, faster, and safer.



Figure 3: Defect Detection Output from CNN-Based Image Classifier

c. Real-Time Asset Prioritization

The integration of **AI-enabled dashboards** into asset management systems has revolutionized decision-making by providing **real-time Asset Risk Indices (ARI)**, enabling operators to make informed and proactive maintenance decisions. These dashboards aggregate and analyze vast amounts of data

from sensors, SCADA systems, inspection reports, and predictive models to compute **risk scores** that reflect both the **probability of failure** and the **criticality of each asset** within the network. By visualizing this information in an intuitive and dynamic interface, operators gain immediate insight into which assets require urgent attention versus those that can safely remain in operation.

The ARI framework typically incorporates **predictive analytics, machine learning outputs, and risk modeling techniques** to generate actionable recommendations. For example, an asset exhibiting abnormal temperature fluctuations and vibration patterns might receive a high-risk score, prompting early intervention before a catastrophic failure occurs. Similarly, the system factors in **criticality measures**, such as the asset's role in the grid and the potential consequences of failure, to ensure that maintenance resources are allocated efficiently.

Beyond prioritization, these dashboards support **scenario analysis and what-if simulations**, allowing utility planners to evaluate the impact of different maintenance strategies or budget allocations. The result is a significant improvement in **operational efficiency, cost optimization, and reliability**, as utilities can focus on the most vulnerable and strategically important components in real time. This approach exemplifies how **AI-driven visualization and decision support tools** are transforming traditional asset management into a highly intelligent and data-driven process.

V. Challenges and Limitations

Although Artificial Intelligence has revolutionary potential in asset management's smartness, a set of challenges and constraints must be met in terms of successful, reliable implementation. The problem of data is one of the major concerns since sensor failures, low connectivity or inconsistent recording might affect the quality of the unless input data, which directly decreases the accuracy and strength of predictive models. False positive or missed detections may occur incomplete or noisy data, and in the actual operation of a critical utility, these consequences may be devastating.

The second big problem is model transparency. Most AI systems, and especially deep learning models, are black boxes in nature, whereby they can deliver precise predictions but do not give a clear understanding of how the decisions are made. This interpretability causes utility operators and engineers to not rely on the system entirely, making it challenging to comply with regulations and slow down the implementation of the AI-based decision-making system. To address this gap, researchers are looking more into explainable AI (XAI) techniques to offer actionable information and simultaneously preserve predictive capabilities.

Further barriers to AI adoption are integration barriers. The current utilities are still based mainly on the customary systems that are not compatible with the current AI systems. The opposition to digital transformation, organizational inertia, and the necessity to train the staff on a large scale may slow down the implementation of intelligent asset management tools. The alignment of AI workflows to the operational procedures is a challenge, even in the case of the technical infrastructure being in place.

Lastly, the implementation of AI systems invariably raises the profile of cybersecurity risks of utility networks. Interrelated AI applications, especially those that are

connected to cloud-based services and IoT products, increase the number of potential attack points by cyber threats. Those with malicious intent may use AI vulnerabilities to interfere with the functions, bias the predictive models, or obtain unauthorized access to the sensitive infrastructure data. The solution to these cybersecurity issues is strong encryption, intrusion detection, and effective data-sharing methods, as well as active monitoring and threat evaluation methods.

All these issues point to the necessity to implement AI in a holistic manner by integrating a solid data management framework, model interpretability, system integration planning, and cybersecurity to make sure that AI-based asset management can be efficient and reliable at the same time.

VI. Future Research Directions

New technologies will continue to improve AI-assisted asset management by eliminating the existing shortcomings and creating new opportunities. Explainable AI (XAI), which enhances the transparency of highly complex machine learning models by giving interpretable results based on prediction generation. This openness helps to build better trust among utility operators, ensures compliance with its regulations, and makes informed decisions when it comes to the management of critical assets.

Another potential development is digital twins, which are AI models combined with real-time simulation systems that simulate how physical assets behave in different circumstances. Digital twins enable utilities to predict failures, optimize the maintenance, and make more resilient operational decisions by testing scenarios, predicting the performance in a virtual space, and not at risk of actual infrastructure.

Simultaneously, federated learning provides a distributed architecture of AI models training in a group of utilities and maintains the privacy of data. Federated learning can keep confidential proprietary and sensitive data by sharing model updates instead of raw data, and thus, utilities can exploit shared knowledge without revealing operational data.

The introduction of blockchain also strengthens the security and traceability of data on the management of assets. Blockchain offers data integrity, auditability, and accountability by offering immutable registry to host maintenance processes, sensor logs, and operational events, preventing the risks of manipulation and unauthorized access.

Finally, intelligent models of assets are adaptive AI models. Such self-learning systems keep adapting to novel grid behavior; environmental conditions along with operational patterns such that dynamic predictive maintenance, resource allocation, and resilience are achieved. Collectively, these emerging technologies have the potential to make traditional asset management highly intelligent, secure, and collaborative ecosystem making utilities fit the needs of the current and future energy networks.

VII. Conclusion

Artificial intelligence-based smart asset management is radically changing the operational environment of contemporary electrical utilities. With the help of real-time condition monitoring, predictive maintenance, and smart diagnostic tools, AI will allow the utilities to improve reliability, reduce operational costs, and strengthen the system against unexpected failures. These functions enable us to take proactive measures, to distribute resources more efficiently, and reduce time of downtime, which is a decisive

transition between the reactive maintenance strategies and the data-driven, predictive ones.

Although it has a major benefit, the implementation of AI in utility operations has been challenged by problems regarding the quality of data, the need to integrate with heterogeneous systems, and cybersecurity issues. To address these challenges, it is necessary to have strong preprocessing methods, standardized information structures, and safe sharing solutions to guarantee that AI models can safely and efficiently work on scale. In the future, explainable AI, digital twins, and federated learning systems are some of the upcoming technologies that will continue to improve transparency, operational visibility, and team analytics within utility networks.

This research paper offers a strong basis of the continuity of research and real-life applications, including how AI-based analytics can redefine the asset management, increase the life cycle of critical infrastructure, and facilitate the development of smart, resilient, and sustainable electrical systems. With the combination of high-level computational intelligence and operations-level strategy, the utilities are in a place to fulfill the requirements of more complex energy systems without compromising performance and reliability.

Reference

[1] Achouch, M., Dimitrova, D., & Others. (2022). *On predictive maintenance in Industry 4.0: Overview, models, and challenges. Applied Sciences, 12*(16), 8081. https://doi.org/10.3390/app12168081

[2] Anugula Sethupathy, U. K. (2018). *Maturity assessment frameworks for DevOps and Agile teams: Tools and metrics. International Journal of Engineering Technology Research & Management (IJETRM), 2*(10), 66–76. https://doi.org/10.5281/zenodo.16948086

[3] Anugula Sethupathy, U. K. (2018). *Maturity assessment frameworks for DevOps and Agile teams: Tools and metrics. International Journal of Engineering Technology Research & Management (IJETRM), 2*(10), 66–76. https://doi.org/10.5281/zenodo.16948086

[4] Barreiro, J. R., Zaragoza, S., & Díaz-Casas, V. (2022). *Review of ship energy efficiency. Ocean Engineering, 257,* 111594. https://doi.org/10.1016/j.oceaneng.2022.111594

[5] Basole, R. C., Park, H., & Seuss, C. D. (2024). *Complex business ecosystem intelligence using AI-powered visual analytics. Decision Support Systems, 178,* 114133. https://doi.org/10.1016/j.dss.2023.114133

[6] Božić, H., Vuk, B., & Novosel, D. (2022). *Energy efficiency indicators. Journal of Energy – Energija, 58*(5), 452–479. https://doi.org/10.37798/2009585309

[7] Economidou, M., Todeschi, V., Bertoldi, P., D'Agostino, D., Zangheri, P., Castellazzi, L., & Others. (2020). *Review of 50 years of EU energy efficiency policies for buildings. Energy and Buildings, 225,* 110322. https://doi.org/10.1016/j.enbuild.2020.110322

[8] Gaha, M., Chabane, B., Komljenovic, D., Côté, A., Hébert, C., Blancke, O., Delavari, A., & Abdul-Nour, G. (2021). *Global methodology for electrical utilities maintenance assessment based on risk-informed decision making. Sustainability, 13*(16), 9091. https://doi.org/10.3390/su13169091

[9] Huang, Y.-H., Zohar, D., Robertson, M. M., Garabet, A., Murphy, L. A., & Lee, J. (2013). *Development and validation of safety climate scales for mobile remote workers using utility/electrical workers as exemplar. Accident*

Analysis & Prevention, 59, 76–86. https://doi.org/10.1016/j.aap.2013.04.030

[10] Javaid, M., Haleem, A., Khan, I. H., & Suman, R. (2022). *Understanding the potential applications of artificial intelligence in agriculture sector. Advanced Agrochem, 2*(1), 15–30. https://doi.org/10.1016/j.aac.2022.10.001

[11] Jiang, F., Jiang, Y., Zhi, H., Dong, Y., Li, H., Ma, S., Wang, Y., Dong, Q., Shen, H., & Wang, Y. (2017). *Artificial intelligence in healthcare: Past, present and future. Stroke and Vascular Neurology, 2*(4), 230–243. https://doi.org/10.1136/svn-2017-000101

[12] Jung, C. M., Ray, P., & Salkuti, S. R. (2019). *Asset management and maintenance: A smart grid perspective. International Journal of Electrical and Computer Engineering (IJECE), 9*(5), 3391–3398. https://doi.org/10.11591/ijece.v9i5.pp3391-3398

[13] Kalogiannidis, S., Kalfas, D., Papaevangelou, O., Giannarakis, G., & Chatzitheodoridis, F. (2024). *The role of artificial intelligence technology in predictive risk assessment for business continuity: A case study of Greece. Risks, 12*(2), 19. https://doi.org/10.3390/risks12020019

[14] Lee, W.-S., John, A., Hsu, H.-C., & Hsiung, P.-A. (2022). *SPChain: A smart and private blockchain-enabled framework for combining GDPR-compliant digital assets management with AI models. IEEE Access, 10,* 130424–130443. https://doi.org/10.1109/ACCESS.2022.3227969

[15] McMahan, B., Gerlak, A. K., & Others. (2020). *Climate risk assessment and cascading impacts: Risks and opportunities for an electrical utility in the U.S. Southwest. Climate Risk Management, 29,* 100240. https://doi.org/10.1016/j.crm.2020.100240

[16] Mishra, M., Biswal, M., Bansal, R. C., Nayak, J., Abraham, A., & Malik, O. P. (2022). *Intelligent computing in electrical utility industry 4.0: Concept, key technologies, applications and future directions. IEEE Access, 10,* 100312–100336. https://doi.org/10.1109/ACCESS.2022.3205031

[17] Molęda, M., Małysiak-Mrozek, B., Ding, W., Sunderam, V., & Mrozek, D. (2023). *From corrective to predictive maintenance — A review of maintenance approaches for the power industry. Sensors, 23*(13), 5970. https://doi.org/10.3390/s23135970

[18] Nel, C. B. H., & Jooste, J. L. (2016). *A technologically-driven asset management approach to managing physical assets: A literature review and research agenda for "smart" asset management. South African Journal of Industrial Engineering, 27*(4), 50–65. https://doi.org/10.7166/27-4-1478

[19] Ning, Y., Cherian, J., Sial, M. S., Álvarez-Otero, S., Comite, U., & Zia-Ud-Din, M. (2023). *Green bond as a new determinant of sustainable green financing, energy efficiency investment, and economic growth: A global perspective. Environmental Science and Pollution Research, 30*(22), 61324–61339. https://doi.org/10.1007/s11356-021-18454-7

[20] Nunes, P., Rocha, E., & Santos, J. P. O. (2023). *Challenges in predictive maintenance – A review. CIRP Journal of Manufacturing Science and Technology, 40*(1), 53–67. https://doi.org/10.1016/j.cirpj.2022.11.004

[21] Paramati, S. R., Shahzad, U., & Doğan, B. (2022). *The role of environmental technology for energy demand and energy efficiency: Evidence from OECD countries. Renewable and Sustainable Energy Reviews, 153,* 111735. https://doi.org/10.1016/j.rser.2021.111735

[22] Pendy, B. (2023). *Role of AI in business management. Brilliance: Research of Artificial*

Intelligence, 3(1), 48–55. https://doi.org/10.47709/brilliance.v3i1.2191

[23] Serrano, W. (2023). *Smart or intelligent assets or infrastructure: Technology with a purpose. Buildings, 13*(1), 131. https://doi.org/10.3390/buildings13010131

[24] Setiawan, A., & Nurjaman, M. S. (2022). *Application of blockchain and smart contract on waqf asset management: Is it necessary? EL DINAR: Jurnal Keuangan dan Perbankan Syariah, 10*(2), 85–101. https://doi.org/10.18860/ed.v10i2.15529

[25] van Dinter, R., Tekinerdogan, B., & Catal, C. (2022). *Predictive maintenance using digital twins: A systematic literature review. Information and Software Technology, 151,* 107008. https://doi.org/10.1016/j.infsof.2022.107008

[26] Vasan, S. (2024, June). *Navigating financial challenges in start-ups: Effective management practices for sustainable growth* [Conference paper]. *Indian Startups, Issues, Challenges and Opportunities: The Way Forward.* https://www.researchgate.net/publication/393851457_Navigating_Financial_Challenges_In_Start-Ups_Effective_Management_Practices_For_Sustainable_Growth

[27] Vasan, S. (2024, June). *Navigating financial challenges in start-ups: Effective management practices for sustainable growth* [Conference paper]. *Indian Startups, Issues, Challenges and Opportunities: The Way Forward.* https://www.researchgate.net/publication/393851457_Navigating_Financial_Challenges_In_Start-Ups_Effective_Management_Practices_For_Sustainable_Growth

[28] Zhong, D., Xia, Z., Zhu, Y., & Duan, J. (2023). *Overview of predictive maintenance based on digital twin technology. Heliyon, 9*(4), e14534. https://doi.org/10.1016/j.heliyon.2023.e14534

