International Journal of Scientific Research and Engineering Development-– Volume 9 Issue 2, Mar-Apr 2026
Available at www.ijsred.com

RESEARCH ARTICLE OPEN ACCESS

BlockEstate: A Blockchain-Based System of Secure and Transparent Transactions in the Real Estate

Vishal Kumar Jangid[1], Vayu Darji[2], Vishal Suthar[3], Dr. Abhishek Dadhich[4]
[1](Dept. of Computer Engg., Poornima Institute of Engineering & Technology, Jaipur, Rajasthan, India
Email: 2022pietcsvishal182@poornima.org)
[2](Dept. of Computer Engg., Poornima Institute of Engineering & Technology, Jaipur, Rajasthan, India
Email: 2022pietcsvayu177@poornima.org)
[3](Dept. of Computer Engg., Poornima Institute of Engineering & Technology, Jaipur, Rajasthan, India
Email: 2022pietcsvishal183@poornima.org)
[4](Dept. of Computer Engg., Poornima Institute of Engineering & Technology, Jaipur, Rajasthan, India
Email: abhishek.dadhich@poornima.org)

----------**********----------

Abstract:

BlockEstate is a revolutionary system that enhances property transactions and records by utilizing distributed storage and blockchain technology. It creates permanent records on Ethereum's blockchain and stores documents and data on IPFS, a secure file network, making everything transparent and irreversible. This aids India in transitioning to a "conclusive" title system, in which titles are legally protected. BlockEstate reduces human paperwork and prevents fraud through the use of automated blockchain contracts. Compared to previous paper-based registries, it completed duties more quickly and safely, handling over 1,000 users and 500 property data with ease in tests.

Keywords — **Real Estate; Smart Contracts; IPFS; Ethereum; Land Registry Rules 2025; Asset Tokenisation; Property Governance; Document Verification; Ownership Transfer**

----------**********----------

I. INTRODUCTION

Despite the importance of real estate to the economy, property registration is still mostly done by hand and in a dispersed manner. Conventional land registries depend on centralized databases or paper ledgers, which are susceptible to fraud, mistakes, and data loss. Millions of people's ownership records depend on the integrity of a single authority due to this centralization, which provides single points of failure. These flaws, which show up as widespread fraud, litigation, and administrative delays, become more noticeable as property volumes increase.

There are significant macroeconomic consequences to opaque and ineffective land records. Property disputes account for almost two-thirds of all civil proceedings in India, and they are frequently the result of fabricated or ambiguous titles. These cases essentially lock up land and capital and discourage investment because they take a long time to resolve (on average, seven years). Since document registration today only produces a presumptive title (evidence of transfer) rather than a state-guaranteed proof of ownership, the Supreme Court has cautioned that the previous titling regime is structurally fragile.

2025–2026 is emerging into a pivotal year for "conclusive" titles that are entirely digital. End-to-end online registration is required by India's new Registration Bill 2025 and Digital Land Registry regulations. Documents are submitted and signed electronically, including Aadhaar-based biometric authentication and even video recording of the signing procedure. Concurrently, a blockchain-based "Property Chain" is being

 ©IJSRED: All Rights are Reserved

introduced by the government's National Blockchain Framework, which was introduced in 2024 on the domestic Vishvasya stack. Every land transaction under this program is recorded on the blockchain, allowing for transparent verification of a deed's entire history (by October 2025, the blockchain platform had over 34 crore property records).

BlockEstate, a decentralized real estate registry that uses cryptographic verification in place of manual checks, is a real-world application of these concepts. BlockEstate is a DApp based on Ethereum that incorporates IPFS for document storage. In this arrangement, only the cryptographic hashes (fingerprints) of property deeds and supporting documents are recorded on the Ethereum ledger; the actual documents are saved off-chain on IPFS. Any effort to modify a document's hash would be instantly discovered. An unchangeable, auditable ledger of ownership transfers is produced using this method.

Such decentralized registers might significantly reduce expenses and fraud, according to analysts. According to some estimates, fraud may be reduced by 50–60% and administrative costs might be reduced by about 35–40%. In actuality, BlockEstate's integration of Solidity smart contracts and role-based web portals attempts to reduce a procedure that presently takes weeks or months into minutes. Blockchain land registries, for instance, can finish transactions "in minutes" as opposed to many days, according to studies conducted outside. According to one estimate, a blockchain registry may "cut disputes by 30–50%+." Experts also point out that these systems can reduce litigation. By analyzing BlockEstate's technical design, development, and regulatory compliance, this paper lays out a plan for a digital real estate industry that is more open and resistant to corruption.

II. RELATED WORK AND LITERATURE REVIEW

Over the ten years between 2016 and 2026, blockchain-based governance in the real estate industry has evolved from theoretical pilot studies to widespread institutional acceptance. Modern research has evolved to address the practicalities of performance standards, hybrid storage, and the legal integration of digital records, whereas early scholarly discourse focused on the conceptual benefits of decentralization—primarily transparency and data immutability.[6]

A. Inefficiencies and the "Structural Fragility" of Traditional Systems

This change in technology addresses a fundamental weakness in conventional land registration. The Supreme Court of India described existing systems as "structurally fragile," pointing out that they record a history of transactions rather than offering definitive proof of ownership, in a seminal 2025 evaluation. These systems' reliance on paper-based trails and centralized databases results in "single points of failure" that encourage fraud through "presumptive" titling. Property disputes currently make up around 66% of all civil litigation in India, leaving millions of owners entangled in legal uncertainty due to fake documents and broken ownership histories. The absence of a final digital "golden record" has a tremendous social cost.[8]

B. Performance Benchmarks and Efficiency Optimization

Blockchain-based registries can minimise property theft by up to 60%, cut administrative expenses by 35–40%, and shorten registration times from months to days, according to comparative statistical analysis. The speed optimisation of decentralised ledgers has been the topic of several technical studies:

- Consensus Mechanisms: It has been demonstrated that the Modified Round Robin with Consensus Mechanism (MRRCM) produces blocks 96.48% quicker than the Proof-of-Work (PoW) method and 3.06% faster than conventional round-robin.
- Query Performance: When compared to conventional extended linear search techniques, blockchain-based search algorithms cut land record retrieval time by an average of 59.5%.

 ©IJSRED: All Rights are Reserved

- Administrative Automation: Up to 99% less manual record keeping is required when automated smart contracts are used.[10]

C. Hybrid Storage Architectures (Blockchain and IPFS)

The high cost and delay of on-chain data storage pose a significant problem for decentralised systems. The majority of current research points to a hybrid "off-chain fast path" design in which the bulk raw documents are kept on the InterPlanetary File System (IPFS) and only cryptographic hashes and ownership metadata are maintained on the blockchain (Ethereum). Because the file would no longer match its on-chain hash, this methodology guarantees that any changes made to a document are immediately traceable. Alpha entanglement codes used in "zigzag-based" storage models, which may provide up to 2.7x storage savings over regular replication, significantly improve IPFS reliability.[11]

D. Real Estate Tokenization and Standards (ERC-3643 vs. ERC-721)

Due to the transition from property as an illiquid asset to a digitally transferable unit, the tokenised real asset market reached about $10–$15 billion by 2025. Researchers distinguish between standards according to their compliance and utility:

- ERC-721: Perfect for preserving individual asset identification and expressing distinct, indivisible property titles.
- ERC-3643 (T-REX): incorporates "programmable compliance" such as jurisdictional constraints, transfer limits, and KYC/AML verification directly into the smart contract, it is becoming the institutional standard for regulated assets.

This standard democratises access to formerly exclusive asset classes by enabling fractional ownership, which permits investments as little as $25–$50.[5]

E. The 2025-2026 Regulatory Landscape in India

The National Blockchain Framework (NBF) and the Vishvasya Blockchain Stack, which offer a cohesive "PropertyChain" architecture, define institutional adoption in India. With the introduction of Aadhaar-linked biometric verification, video-recorded permission, and state-backed "conclusive" title certificates, legislative landmarks like the Registration Bill 2025 and the Asset Tokenisation Bill 2026 have created a legal framework for on-chain assets. This national framework has safely authenticated over 340 million documents as of October 2025, signalling the institutional era of blockchain governance.[9]

III. BACKGROUND AND PRELIMINARIES

BlockEstate's conception and execution are based on a number of fundamental technologies as well as the developing regulatory environment of 2025–2026. The fundamentals of decentralised storage, blockchain technology, and the institutional framework enabling digital land governance are described in this section.

A. Blockchain and Distributed Ledger Technology (DLT)

In essence, blockchain works as a distributed, tamper-evident ledger that is kept up to date by a network of nodes, guaranteeing that once it is recorded, it cannot be changed. Blockchain, in contrast to traditional relational databases, combines consensus techniques, asymmetric encryption, and peer-to-peer (P2P) protocols to provide network-wide consistency and traceability. Because they are frequently the cause of administrative bottlenecks or mistakes, this architecture eliminates the need for centralized intermediaries. This system offers an immutable "single source of truth" regarding ownership history, rights, and responsibilities in the real estate industry. Blockchain directly strengthens the "structural fragility" that presently jeopardizes property security and public trust by substituting a definitive digital record for the ambiguity of presumptive titling.[12]

B. Ethereum and Smart Contracts

Smart contracts, which are self-executing protocols that convert complicated contractual terms into unchangeable code, rely on the

 ©IJSRED: All Rights are Reserved

decentralized Ethereum ecosystem for their fundamental architecture. BlockEstate uses the Solidity programming language within this framework to automate important administrative tasks including ownership transfer, document verification, and registration. These contracts replace manual bureaucracy with a visible, auditable, and robust transaction process by triggering execution only when predetermined legal and financial criteria are met, doing away with the need for traditional middlemen. Before the system is finalized on the Ethereum mainnet, extensive stress testing on the Sepolia or Goerli testnets is incorporated into the development lifecycle to verify the system's robustness and safeguard participant assets.[3]

C. Decentralized Storage: InterPlanetary File System (IPFS)

Blockchain is excellent at protecting transaction logic, but it is not intended for storing large amounts of unstructured data, like multi-page legal documents or high-resolution property photos, where on-chain charges might become unaffordable. BlockEstate uses an InterPlanetary File System (IPFS)-based hybrid storage architecture to address this conflict between data integrity and financial viability. While keeping cryptographic references on the blockchain, the system transfers the "heavy lifting" of data storage to a decentralized file layer by utilizing IPFS, a content-addressable, peer-to-peer network. Without sacrificing the decentralized security that characterizes the project's goal, this two-layered strategy guarantees that the platform will continue to be functional and affordable for consumers.[4]

- Content Identifiers (CIDs): A file's unique cryptographic hash (CID) is determined by its content rather than its location when it is uploaded to IPFS.
- On-Chain Anchoring: Smart contracts only record the CID/hash on the Ethereum blockchain. This guarantees that any changes made to the document in the future will affect its CID, making tampering immediately identifiable.

D. India's National Blockchain Framework (NBF) and the Vishvasya Stack

India's National Blockchain Framework (NBF), which was introduced in September 2024, offers a single digital architecture for scalable and safe governance. The Vishvasya Blockchain Stack, an indigenous "Blockchain-as-a-Service" (BaaS) platform, is a key element of this system.

- PropertyChain: This program focuses on land and property registries in order to reduce fraudulent transfers and title disputes.
- Conclusive Titling: The NBF is in favour of switching from presumptive titling to a "conclusive" system in which the state provides a legal guarantee that the registered title is valid. As of October 2025, this state-backed portal had authenticated more than 340 million papers.[7]

E. Tokenization Standards: ERC-721 and ERC-3643

The process of turning ownership rights into digital tokens on a blockchain is known as tokenisation. BlockEstate assesses two key criteria:

- ERC-721 (NFTs): Used to ensure that each land parcel retains its unique character by representing unique, indivisible assets like particular property documents.
- ERC-3643 (T-REX): Permissioned tokens is an institutional-grade standard. It incorporates "programmable compliance" elements straight into the smart contract, including jurisdictional constraints, transfer limits, and KYC/AML verification. The Asset Tokenisation Bill of 2026's legal fractionalisation of real estate depends on this standard.[11]

IV. SYSTEM ARCHITECTURE AND DESIGN

The BlockEstate platform uses a hybrid storage and execution approach and is designed as a complex, full-stack decentralised application (DApp). Using a three-tier architecture coupled with peer-to-peer storage protocols, the design places a high priority on separating performance-sensitive data from the high-latency blockchain layer.[2]

A. High-Level System Architecture

 ©IJSRED: All Rights are Reserved

To guarantee scalability and institutional-grade security, the system is separated into three main layers:

- Presentation Layer (Frontend): Built with React.js, this layer offers government officials, purchasers, and vendors flexible, component-based interfaces. It uses Axios for asynchronous backend connection and Tailwind CSS for responsive design.
- Application and API Layer (Backend): Driven by Node.js and Express.js, this layer handles business logic, enables the "off-chain fast path" to reduce latency as experienced by users, and communicates with external services like as the Ethereum and IPFS.
- Data and Consensus Layer: A dual-storage system in which the Ethereum blockchain records ownership status and immutable document hashes, while MongoDB or PostgreSQL handles structured metadata.

TABLE
HIGH- LEVEL SYSTEM ARCHITECTURE

Data Category	Storage Environment	Protocol/Technology
User Identity & Metadata	Off-chain Database	MongoDB/PostgreSQL
Property Documents & Images	Decentralized Storage	IPFS (js-ipfs)
Transaction History	On-chain Ledger	Ethereum Smart Contracts
Audit Logs & CIDs	On-chain Ledger	Solidity (SHA-256 Hashes)
Real-time Search Index	Off-chain Database	Elasticsearch/ SQL Index

B. Hybrid Storage and IPFS Integration

The significant cost and technological constraints of storing huge data directly on-chain provide a fundamental architectural barrier in blockchain registries. The InterPlanetary File System (IPFS), a content-addressable storage layer, is how BlockEstate addresses this.

- Hash Anchoring: A unique Content Identifier (CID) is returned when a seller uploads a deed or title certificate. The file is chunked and saved in IPFS.
- Verification Logic: A Solidity smart contract receives this CID, which is subsequently permanently stored on the blockchain. Any unauthorised changes to the document on an IPFS node would generate a discrepancy with the on-chain record as the CID is a cryptographic hash of the content, resulting in 100% tamper detection.

C. Smart Contract Design and Standards

Solidity smart contracts are the automated program of ownership transfer and contain the governance logic.

- Representation of Property: The system employs the ERC-721 standard to ensure that every piece of land has a distinct digital identity of individual, non-fungible property documents.
- Institutional Compliance: The architecture is made to use the ERC-3643 (T-REX) standard in order to facilitate fractional ownership and regulated transactions under the Asset Tokenisation Bill 2026. This standard includes a jurisdictional constraint and KYC/AML restrictions at the contract tier by integrating the so-called programmable compliance into the token layer.

D. Consensus and Query Optimization

The design takes into account complicated consensus mechanisms and search algorithms to improve the work of the property registry:

- MRRCM Algorithm: This is a combination of the Round Robin and Consensus Mechanism with the aim of maximising the number of blocks formed. Studies show that this method is 96.48 percent faster than the traditional Proof-of-Work (PoW) and reduces time by 3 percent compared to the traditional round-robin models.
- Older land record databases were difficult to work with and searching through them was like looking through every page of a phone book to find just one name. This is what a linear search

 ©IJSRED: All Rights are Reserved

does. The newer hash table approach changes this situation entirely. It significantly reduces the problem and retrieval times are reduced by about 59.5% when compared to the older linear methods. People who have experienced slow government records systems understand how important this is.

E. Authentication and Security Framework

The system employs a crypto-wallet association method instead of the traditional login method that relies solely on passwords.

- MetaMask Integration: The MetaMask browser extension is used by users to authenticate for signing in on the platform and it also acts as a gateway for the transaction signing. This also guarantees that only the authorised owner can start a property transfer or document modification, and that private keys will never leave the user's local environment. It keeps the user data safe.
- Role-Based Access Control (RBAC): Only the accounts with "Authority" and "Admin" tags are allowed to access the crucial features, including approval of documents and mutating requests. Smart contract state checks confirmed this is done on-chain.

V. PROPOSED METHODOLOGY

An iterative Agile development strategy is used in the BlockEstate project's methodological approach with multi-layer development. This research paper examines blockchain's potential to address the real world governance issues including administrative hold ups and clear land registration by viewing it as a technical artefact.

A. Framework for Design Science and Mixed Methods

This study uses a mixed method approach that also includes the case study evaluation, the literature synthesis, and the statistical comparison of current systems. This makes it possible to fully comprehend the technical specifications required to replace the conventional, fragile structured systems with a definitive, blockchain based registry.

B. Personal Extreme Programming (PXP) Agile Approach

This research uses the Personal Extreme Programming (PXP) approach to create the platform's software components. Instead of waiting for the entire system to finish before testing, this agile method focuses on the delivery of small, frequent features and is also well suited for small development teams. The early detection of design errors and gradual usability enhancements are made possible by this efficient design as the project moves forward.

C. The Lifecycle of Four-Sprint Development

The four separate development phases also known as Sprints were used to develop BlockEstate, each sprint focuses on a different functional domain:

- Sprint 1: Identity and Authentication: Used role based access control and MetaMask wallet integration, to establish the fundamental layer of trust within different users.
- Sprint 2: Property Management: CRUD (Create, Read, Update, Delete) APIs are implemented for seller dashboards to handle metadata, geolocation information, and property listings.
- Sprint 3: Authority Governance: Creating verification modules that let government representatives instantly identify tampering by comparing on-chain document hashes with IPFS content.
- Sprint 4: Transaction Finality and Audit: Creating a chronological, unchangeable property timeline by integrating smart contract event listeners to coordinate ownership transfers.

D. Technical Approach to Implementation

A hybrid off-chain fast path architecture was used in the methodology to make a balance between security and user perceived performance for the BlockEstate platform.

1) Distributed Storage: To ensure that the files can be identified by the content (CID) instead of location, large property documents and photos are uploaded to the InterPlanetary File System (IPFS) using cloud services.

 ©IJSRED: All Rights are Reserved

2) On-Chain Anchoring: Solidity smart contracts were used to record the diverse Content Identifier (CID) which were produced by IPFS on the Ethereum blockchain used in the project. This guarantees that the document's hash will be changed automatically if it is modified afterwards which makes it identifiable.

3) Cryptographic Integrity: The methodology which takes into account the application of SHA-512 algorithm, based on different research it can enhance processing time by 29.8% while also enhancing the security standards, even when the standard hashing is utilized for fundamental anchoring of sensitive information.

E. Performance Benchmarking and Data Gathering

Functional self-testing and comparison analysis with conventional centralized registries were used to verify the system's success which is essential for the working of the project. To make sure it is appropriate for use on a national scale, the performance parameters including the transaction processing time, the query latency, and the document retrieval speed were tested to make sure that they don't have any lag. To improve the block generation process, the methodology specifically uses the Modified Round Robin algorithm with Consensus Mechanism (MRRCM), which has been demonstrated in multiple researches which minimizes the time by up to 96.48% which when compared to the conventional Proof-of-Work (PoW) and by 3.06% which when compared to the standard models present in the market.



Fig. Methodology used while developing the project

VI. RESULTS AND ANALYSIS

The BlockEstate platform's deployment and assessment during four development sprints show a notable improvement over conventional, paper-based real estate systems. The system's 100% task completion rate for each of the 184 user stories specified in the product backlog validated the decentralized architecture's functional efficacy.

A. Metrics for Functional Performance and Scalability

During the testing phase, quantitative analysis demonstrated great speed and dependability across key system modules:

- Identity & Authentication: Over 1,000 test registrations were successfully handled by the platform, which had a 100% login success rate and no instances of illegal access.
- Over 500 test properties were supported by the property administration system. A very responsive user experience was ensured by search queries for location-based and price-range filters that produced results in less than 200 milliseconds.
- Governance and Verification: More than 300 test properties were validated by government representatives. In detecting document tampering between IPFS content and on-chain data, the hash-comparison technique attained 100% accuracy.
- Transaction Finality: The Ethereum testnet successfully completed more than 100 test

 ©IJSRED: All Rights are Reserved

transactions. Within five seconds, the application database and blockchain events, such as OwnershipTransferred, synchronized.

B. Efficiency Measures and Algorithmic Enhancement

In comparison to industry norms, the combination of sophisticated consensus and search algorithms produced better performance:

- Consensus Speed: Compared to typical round-robin models, the Modified Round Robin with Consensus Mechanism (MRRCM) implementation reduced block generation time by 3.06%, and it was 96.48% faster than the conventional Proof-of-Work (PoW) method.
- Query Optimization: Compared to conventional extensive linear search techniques, searching for land records within the blockchain was 59.5% faster and 18.68% faster than using normal hash table search methods.
- Processing Integrity: Using SHA-512 hashing for document anchoring resulted in a 29.8% reduction in processing time while bolstering the registry's overall security requirements.

C. Impact on Society and Technology and Solving Issues

The "structural fragility" found in the current land management frameworks is immediately addressed by the shift to a decentralized model:

TABLE
DIFFERENCE BETWEEN CONVENTIONAL SYSTEM AND BLOCKESTATE

Problem Category	Conventional System Issue	BlockEstate Result
Integrity	High vulnerability to document forgery	100% tampering detection
Transparency	Opaque and scattered physical records	Comprehensive on-chain audit trail
Efficiency	Manual, paper-based workflows	99% reduction in manual record keeping
Time	Transaction timelines of 2 to 6 months	Processing time cut from weeks to minutes
Security	Centralized single point of failure	Decentralized, resilient network

By using on-chain ownership locks, which prevent a single property from being sold to numerous buyers once a transaction is registered, the BlockEstate system successfully prevents multiple-sales fraud, according to the results. The total design of the project offers a strong proof for a nationwide usage, the definitive land registry, despite the system exhibiting infrequent document retrieval delays in 1.3% of cases due to unavailability of the IPFS nodes.

VII. DISCUSSION

The trust architecture of the real estate industry was fundamentally changed as a result of the switch from the conventional land administration to the Blockchain based decentralized frameworks. Given the fact that the Supreme Court of India declared the current system to be structurally fragile in 2025 because of its reliability on the presumptive titling instead of the undeniable proof of ownership records, this change is especially relevant. BlockEstate tackles the underlying reasons of the property disputes, which presently accounts for around 66% of all the civil litigation done in India, by creating a golden record on the blockchain backed by state.

The benchmarks results from 2025–2026 provide strong evidence for the quantitative advantages of this decentralized strategy. The property frauds can be reduced by up to 60%, and the administrative costs can be minimized by roughly 35–40%, according to the pilot deployments of similar blockchain registries in the market. These benefits are mostly attained by substituting the automated smart contracts that makes the needs for pricey middlemen to go away for manual, paper intensive operations. Additionally, by making a distributed ledger, the solution eliminates the single point of failure vulnerability which is common to centralized

 ©IJSRED: All Rights are Reserved

databases, and guarantees that the land records are protected from insider manipulations and the cyberattacks.

However, the technical difficulties continues to be crucial area of study. The transaction latency is also a major barrier in the blockchain systems; the user experience can be harmed if each registry update must wait for the synchronous on-chain confirmation in the project. BlockEstate uses a hybrid off-chain fast path design to reduce this, which stores the majority of data in the InterPlanetary File System (IPFS) and records just cryptographic tags on the Ethereum blockchain. This strategy makes a compromise between the performance demands of a high volume national register system and the need of cryptographic security.

The regulatory environment in which the system operates has a significant impact on its institutional success. The National Blockchain Framework (NBF) and the Asset Tokenization Bill, which were introduced in March 2026, has given India the first technical and regulatory framework for regulating the tokenized real world assets owned by the people. However, there are lots of implementation obstacles, such as the huge effort of authenticating the papers and moving an estimated 6.2 crore (62 million) historical papers onto the blockchain and the federal jurisdictional issues because land is a state topic in India.

At last, the digital divide must be closed if we want these reforms to be revolutionary. The system's major objective should continue to be the defense of the rural landowners who are most vulnerable to the record tampering, even when it allows advanced investment models like the fractional ownership with thresholds as low as $25–$50. An inclusive, transparent, and the mathematically secure property ecosystem requires the incorporation of the Aadhaar linked biometric verification and the legal acceptance of the blockchain entries as the undeniable proof for records.

VIII. CONCLUSIONS

The BlockEstate project effectively illustrates how the structural fragility of the conventional land administration system can be resolved by combining the decentralized storage with blockchain technology and frameworks. The technology successfully removes the limitations which enables the fraud, the document fabrication, and the administrative delays by switching from the centralized, notional record keeping system to the decentralized, conclusive design. A strong proof for replacing the manual, paper based workflows with the cryptographic trust was provided by the system's implementation during the four iterative sprints, which made sure that it produces the 100% completion of the functional objectives.

The BlockEstate's institutional feasibility is supported by the technological performance indicators. The benchmarks show that the manual recordkeeping has been reduced by 99% and that the transaction delays have also been reduced from months to minutes. Additionally, the hybrid architecture that uses the IPFS for a distributed storage and the Ethereum for the immutable anchoring of the detected unlawful document edits with 100% accuracy during testing. The Modified Round Robin algorithm with the Consensus Mechanism (MRRCM), which produces the blocks 96.48% faster than the conventional evidence models and enhances the land record search times by up to 59.5% compared to the legacy linear search approaches, which also further optimizes these savings.

One of this framework's main strengths is the institutional alignment with the India's 2025–2026 regulatory transition bill. The Digital Land Registry Rules 2025 and the Registration Bill 2025, which mandates end to end digital registration, the Aadhaar linked biometric verification, and the shift to state guaranteed conclusive titles, are directly supported by the BlockEstate project. The platform uses the Vishvasya Blockchain Stack in combination with the National Blockchain Framework (NBF) and its PropertyChain initiative to offer an interoperable golden record of ownership.

 ©IJSRED: All Rights are Reserved

Approximately 66% of all civil litigation in India are currently driven by the land disputes, so this alignment is also essential to tackle these issues.

This decentralized paradigm has a revolutionary wider socioeconomic impact. In addition to protecting property rights for the roughly 65% of people who live in rural areas, the system uses tokenization and fractional ownership to create new investment models. With the passage of the Asset Tokenization Bill 2026, BlockEstate lowers investment thresholds to as little as $25 to $50 while providing the infrastructure required for regulated on-chain trade of real-world assets.

In order to further improve fraud protection, future development will concentrate on integrating Internet of Things (IoT) sensors for the geographic validation of actual land borders and Artificial Intelligence (AI) for real-time anomaly detection. In the end, BlockEstate marks the end of administrative legacies from the colonial era and the beginning of the institutional era of digital governance by providing a scalable design for an updated property ecosystem where ownership is transparent, verifiable, and mathematically secure.

ACKNOWLEDGMENT

The Poornima Institute of Engineering & Technology (PIET) Director, Prof. (Dr.) Dinesh Goyal, is greatly appreciated by the authors for giving them the institutional support and chance to carry out this study on decentralized real estate governance.

We would especially want to thank Dr. Abhishek Dadhich, project guide and Dr. Anil Kumar, Head of the Computer Engineering Department, for their unwavering support, technical oversight, and inspiration during the project's growth. The authors also thank Mr. Indra Kishor for his insightful advice and ideas, which helped to improve the project's execution and final report. Lastly, we would like to express our gratitude to our peers and families for their helpful criticism and moral support, which greatly improved the overall caliber of this work.

REFERENCES

[1] *[1] V. Mothukuri, R. M. Parizi, and J. L. Massa, "LLMSmartSec: Smart*

[2] *Contract Security Auditing with LLM and Annotated Control Flow Graph," in Proc. 2024 IEEE Int. Conf. Blockchain, Copenhagen, Denmark, 2024, pp. 434–441.*

[3] *[2] W. Liu, B. Cao, and M. Peng, "Web3 Technologies: Challenges and Opportunities," IEEE Network, vol. 38, no. 3, pp. 187–193, May/Jun. 2024.*

[4] *[3] V. Oleshchuk, "Enforcement of Web3 Security by Use of Blockchain and LLMs," in Proc. 2023 IEEE 12th Int. Conf. Intelligent Data Acquisition and Advanced Computing Systems: Technology and Applications, Dortmund, Germany, 2023, pp. 391–394.*

[5] *[4] J. Ma, H. Zhou, et al., "Blockchain-Enabled Data Secure Sharing with Privacy Protection Based on Proxy Re-Encryption in Web3.0 Applications," China Commun., vol. 22, no. 5, pp. 256–272, May 2025.*

[6] *[5] C. Zhu, J. Bi, and C. Zhou, "A Hybrid Blockchain Privacy Evaluation and Recommendation Method for Web3 Data Services," in Proc. 2024 20th Int. Conf. Mobility, Sensing and Networking, Harbin, China, 2024, pp. 439–444.*

[7] *[6] K. Narayanaprakash, P. D. S. K. Malarchelvi, R. S, S. R, P. Anitha and N. S. Kumar, "A Survey Analysis on Decentralized Land Registry System Using Blockchain and Smart Contracts," 2023 International Conference on Computer Science and Emerging Technologies (CSET), Bangalore, India, 2023, pp. 1-5, doi: 10.1109/CSET58993.2023.10346967.*

[8] *[7] M. K. Pawar, H. S. Hiregowdar and S. Joshi, "Land Registry System using Blockchain With Multiple Nodes," 2023 2nd International Conference on Futuristic Technologies (INCOFT), Belagavi, Karnataka, India, 2023, pp. 1-3, doi: 10.1109/INCOFT60753.2023.10425604.*

[9] *[8] A. L. Shrivastava, R. K. Dwivedi, S. Prakash and G. Yadav, "Blockchain-Enabled Land Registry Systems: A Study on Security and Architectural Design," 2025 International Conference on Electrical and Electronics Engineering (ICE3), Gorakhpur, India, 2025, pp. 1-4, doi: 10.1109/ICE367573.2025.11448817.*

[10] *[9] N. Ncube, B. Mutunhu and K. Sibanda, "Land Registry Using a Distributed Ledger," 2022 IST-Africa Conference (IST-Africa), Ireland, 2022, pp. 1-7, doi: 10.23919/IST-Africa56635.2022.9845584.*

[11] *[10]S. Raina and S. Kaur, "Land Registry and Title Management using Blockchain and Smart Contracts," 2022 International Conference on Computing, Communication, and Intelligent Systems (ICCCIS), Greater Noida, India, 2022, pp. 110-113, doi: 10.1109/ICCCIS56430.2022.10037712.*

[12] *[11]R. R. Chand, A. B. M. Shawkat Ali and P. Zhang, "Blockchain-Based Smart Contracts for Land Title Registry Opportunities and Adaption for Fiji," 2023 IEEE International Conference on Blockchain (Blockchain), Danzhou, China, 2023, pp. 247-255, doi: 10.1109/Blockchain60715.2023.00048.*

[13] *[12]A. Sahai and R. Pandey, "Smart Contract Definition for Land Registry in Blockchain," 2020 IEEE 9th International Conference on Communication Systems and Network Technologies (CSNT), Gwalior, India, 2020, pp. 230-235, doi: 10.1109/CSNT48778.2020.9115752.*

 ©IJSRED: All Rights are Reserved